


2022 | 2023

Intelligent luxury



Cavities Filled With **PROFF**...



**PROFF**

SINCE 1981,  
WE KEEP PRODUCING,  
DEVELOPING AND WORKING  
WITH ENTHUSIASM TO  
HARMONIZE ELEGANT  
KITCHENS...

---

Hundreds of employment, over 550.000 production capacity/year, 8000m2  
cooker hood production area, more than 20 patents, OEM & ODM  
production for more than 300 brands, CE, CB, LVD, EMC, ISO certifications.

Since 2012, **PROFF**essional meeting of the kitchen and aesthetics...  
now export to 85 countries.

# contents

Intelligent luxury



## Built-In Hobs

From Induction to Vitroceramic, Electric, Gas or Mix, Proff hobs gathers all the functions which culminated in SAFE ELEGANT and FUNCTIONAL cooking.

Our passion is clear: release your culinary creativity and realize it.

## Built-In Ovens



Enriched by the last developments in the technology and the impact of the Big Chefs, our oven collection gathers the delicacy, user friendliness performance and the exceptional longevity in the same time.

Naive or experimented; PROFF will make you the great masters of the kitchen.



## Built-In Microwaves

The philosophy of design adopted by PROFF is influenced by paying meticulous attention of the details and the avant-gardism, all products are the perfect combination between design and the smart technology.

## Midi Ovens



Although it is called "midi or mini" oven, its performance possibly make you a cooking addict.

With its outstanding function of convectional cooking, hot air homogenously reaches all points of your dishes.



## Semi Prof & Solo Cookers

The new PROFF range cookers are suitable not only for your home, also for the small restaurants, cafes, B&B hotels. Apart from its high performance, it is equipped with the professional accessories such as Stainless Steel Worktop, Real Cast Iron pan supports, Triple crown rapid burners, ensuring the highest security standarts with the Flame Safety Devices.

You will not anymore be afraid of welcoming your outnumbered guests with its ultra-large oven.

## Cooker Hoods



When the technology meets the universe of design, extremely efficient, highly functional and silent hood provides you a more fresh and clean air thanks to its motor technology which guarantee you an efficiency of optimal suction power.



## Washing Machines

Our washing machines are designed for the daily requirements of a family.

Equipped with a big drum accommodating from 6 kg to 9 kg of linen and numerous functions, they are designed to satisfy all the needs for wash, including the most delicate such as the baby clothes via the intensive washings.

## Built-In Dishwashers



INNOVATION, TECHNOLOGY and DESIGN these are our ambitions to be in the service of YOUR COMFORT.


Dishwashers of PROFF present, a perfectly cleaning performance with the optimal rhythm and a longlasting life with the modern design that know to seduce most aesthetic and the most demanding.



## Refrigerators & Freezers

Our refrigerators & freezers satisfy the consumers with special functions such as keeping your stuff at the cool, freeze level required or storing each food in ideal conditions. You will still find your fruits and vegetables, as crisp and fresh as you purchase them at the market

## Kitchen Sinks & Faucets



Simple and well-designed at the same time, kitchen sinks and faucets compete in market and come up with all types of stylish forms.


Your **guests** will look forward to your next **invitation**.



## Built-In Hobs

From Induction to Vitroceramic, Electric, Gas or Mix, Proff hobs gathers all the functions which culminate in SAFE ELEGANT and FUNCTIONAL cooking.

Our passion is clear: release your culminated creativity and realize it.




Mix up a little bit of **nostalg**y with the latest **technology**,  
Transform your kitchen into a restaurant.

60  
cm

3  
Gas

1  
Vitro



## P633

Black Glass




### > Main Features

- 60 cm
- 3 Gas Euro Pool Burners, 1 Hi-Light Heater
- 1 x Rapid Burner - 2,9 KW - Ø 100 mm
- 1 x Semi-Rapid Burner - 1,7 KW - Ø 75 mm
- 1 x Auxiliary Burner- 0,95 KW - Ø 55 mm
- Dual Highlight Heater - 1,7/0,7 KW - Ø 180/120 mm
- Cast Iron Pan Support- Matte Burner Caps
- 9 Level Heat Level
- Heat Indicator
- One Hand Knob Integrated Ignition
- Rustic Design Knobs
- Black Tempered Glass

### > Optional Features

- Thermocouple
- Italian Sabaf Burner Set


60  
cm VitroP637  
Black Glass

NEW!




## &gt; Main Features

- 2 Hi-Light Heaters, 1 Double Hi-Light Heater
- 1 x Highlight Heater - 1,2 KW - Ø 140 mm
- 1 x Highlight Heater - 1,8 KW - Ø 180 mm
- Dual Highlight Heater - 2,4/1,5 KW - Ø 300 x 220 mm
- Child Lock
- 9 Level Heat Level
- Heat Indicator
- Touch Control
- Black Glass

60  
cm InductionP619  
Induction Black Glass

## &gt; Main Features

- 4 Induction Cooking Zones
- 2 x Ø160: 1400 W x 2 (without booster)
- 1 x Ø160P: 1850 W
- 1 x Ø200: 2100 W
- Timer
- Safety Lock
- Slider-Touch Control
- Induction Hob


60  
cm Gas VitroP618  
Black Glass

## &gt; Main Features

- 2 Gas Euro Pool Burners, 2 Hi-light Heaters
- 1 x Rapid Burner: 3000 W
- 1 x Auxiliary Burner: 1000 W
- 1 x Ø140 mm Hi-light: 1200 W
- 1 x Ø180/120 mm Dual Hi-light Heater: 1700 W/700 W
- Round Enamel Pan Support
- One Hand Knob Integrated Ignition
- Vitroceramic Black Glass


## &gt; Optional Features

- Cast Iron Pan Support
- Thermocouple
- Italian Sabaf Burner Set

60  
cm VitroP617  
Black Glass

## &gt; Main Features

- 4 Hi-light Heaters
- 2 x Ø140 mm Hotplate: 1200 W x 2
- 2 x Ø180 mm Hotplate: 1800 W x 2
- Touch Control
- Vitroceramic Black Glass


60  
cm Gas VitroP631  
Black Glass

## &gt; Main Features

- 3 Gas Euro Pool Burners, 1 Hi-light Heater
- 1 x Rapid Burner: 3000 W
- 1 x Semi Rapid Burner: 1750 W
- 1 x Auxiliary Burner: 1000 W
- 1 x Ø140 mm Hi-light: 1200 W
- Round Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Vitroceramic Black Glass

## &gt; Optional Features

- Thermocouple
- Italian Sabaf Burner Set

60  
cm Gas ElectricP608  
Black Glass

## &gt; Main Features

- 3 Gas Euro Pool Burners, 1 Hotplate Burner
- 1 x Rapid Burner: 3000 W
- 1 x Semi Rapid Burner: 1750 W
- 1 x Auxiliary Burner: 1000 W
- 1 x Hotplate: 1000 W
- Round Enamel Pan Support
- One Hand Knob Integrated Ignition
- Black Glass

## &gt; Optional Features

- Round Cast Iron Pan Support
- Thermocouple
- Italian Sabaf Burner Set

60  
cm

4  
Gas



**P659**  
Black Tempered Glass



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner - 2,9 KW - Ø 100 mm
- 2 x Semi-Rapid Burner - 1,7 KW - Ø 75 mm
- 1 x Auxiliary Burner- 0,95 KW - Ø 55 mm
- Square Cast Iron Pan Support
- One Hand Knob Integrated Ignition
- Inox Grey Knobs
- Black Tempered Glass


> **Optional Features**

- Italian Sabaf Burner Set
- Thermocouple
- Coffe Adaptor

60  
cm

4  
Gas

1  
WOK



**P610**  
Black Glass



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Round Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Black Glass

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

60  
cm

3  
Gas

1  
WOK



**P653**  
Black Tempered Glass



> **Main Features**


- 3 Gas Euro Pool Burners
- 1 x Wok Burner: 3,5 KW - Ø 131 mm
- 1 x Semi-Rapid Burner - 1,7 KW - Ø 75 mm
- 1 x Auxiliary Burner- 0,95 KW - Ø 55 mm
- Round Enamel Pan Support
- One Hand Knob Integrated Ignition
- Inox Caps Knobs
- Black Tempered Glass

> **Optional Features**

- Italian Sabaf Burner Set
- Thermocouple

60  
cm

4  
Gas



**P614**  
Black Glass



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Black Glass


> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

60  
cm

4  
Gas

1  
WOK



**P621**  
Black Glass



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 1 x Semi Rapid Burner: 1750 W
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Black Glass


> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

60  
cm

4  
Gas

1  
WOK



**P655**  
Black Tempered Glass



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Mini Wok Burner: 2,5 KW - Ø 105,29 mm
- 2 x Semi Rapid Burner: 1,7 W - Ø 75 mm
- 1 x Auxiliary Burner: 0,95 KW - Ø 55 mm
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Inox Grey Knobs
- Black Tempered Glass

> **Optional Features**

- Italian Sabaf Burner Set
- Thermocouple

60  
cm4  
Gas

### P613

White Glass



#### > Main Features

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- White Glass

#### > Optional Features

- Thermocouple
- Italian Sabaf Burner Set

60  
cm4  
Gas

### P615

Black Glass




#### > Main Features

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Aluminum Control Panel
- Black Glass

#### > Optional Features

- Thermocouple
- Italian Sabaf Burner Set

60  
cm4  
Gas1  
WOK

### P644

Gray Glass



#### > Main Features

- 4 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 1 x Semi Rapid Burner: 1750 W
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Gray Glass

#### > Optional Features

- Thermocouple
- Italian Sabaf Burner Set



60 cm  
4 Gas  
1 WOK



**P664**  
Black



> **Main Features**

- 60 cm
- 4 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Matte Enamel Pan Support
- One Hand Knob Integrated Ignition
- Rustic Design Knobs
- Black Matte Enamel

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

60 cm  
4 Gas



**P603**  
Rustic Beige



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Enamel Pan Support
- One Hand Knob Integrated Ignition
- Rustic Beige Design

> **Optional Features**

- Cast Iron Pan Support
- Thermocouple
- Italian Sabaf Burner Set

60 cm  
4 Gas



**P604**  
Rustic Black




> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Enamel Pan Support
- One Hand Knob Integrated Ignition
- Rustic Anthracite Design

> **Optional Features**

- Cast Iron Pan Support
- Thermocouple
- Italian Sabaf Burner Set

60 cm  
4 Gas



**P607**  
Black Glass




> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Round Enamel Pan Support
- One Hand Knob Integrated Ignition
- Black Glass

> **Optional Features**

- Round Cast Iron Pan Support
- Thermocouple
- Italian Sabaf Burner Set

60 cm  
4 Gas



**P623**  
Black



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Enamel Pan Support
- One Hand Knob Integrated Ignition
- Black Enamel

> **Optional Features**

- Cast Iron Pan Support
- Thermocouple
- Italian Sabaf Burner Set

60 cm  
4 Gas



**P624**  
White



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Enamel Pan Support
- One Hand Knob Integrated Ignition
- White Enamel

> **Optional Features**

- Cast Iron Pan Support
- Thermocouple
- Italian Sabaf Burner Set

60  
cm 4  
Gas

**P654**  
Black Glass On Inox



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner - 2,9 KW - Ø 100 mm
- 2 x Semi-Rapid Burner - 1,7 KW - Ø 75 mm
- 1 x Auxiliary Burner- 0,95 KW - Ø 55 mm
- Cast Iron Pan Support
- One Hand Knob Integrated Ignition
- Inox Caps Knobs
- Black Glass On Inox

> **Optional Features**

- Wok Burner - 2,5 KW - Ø 105,29 mm
- Italian Sabaf Burner Set
- Thermocouple
- Cast Iron Wok Adaptor
- Coffe Adaptor

60  
cm 4  
Gas 1  
WOK

**P651**  
Inox



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Wok Burner: 3,5 KW - Ø 131 mm
- 1 x Rapid Burner: 2,9 KW - Ø 100 mm
- 1 x Semi Rapid Burner: 1,7 W - Ø 75 mm
- 1 x Auxiliary Burner: 0,95 KW - Ø 55 mm
- Cast Iron Pan Support
- One Hand Knob Integrated Ignition
- Inox Grey Knobs
- Inox

> **Optional Features**

- Rustic Beige / Anthracite Colors
- Italian Sabaf Burner Set
- Italian Sabaf Wok Burner
- Thermocouple
- Cast Iron Wok Adaptor
- Coffe Adaptor

60  
cm 4  
Gas 1  
WOK

**P652**  
Inox



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Wok Burner: 3,5 KW - Ø 131 mm
- 1 x Rapid Burner: 2,9 KW - Ø 100 mm
- 1 x Semi Rapid Burner: 1,7 W - Ø 75 mm
- 1 x Auxiliary Burner: 0,95 KW - Ø 55 mm
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Inox Grey Knobs
- Inox

> **Optional Features**

- White, Black, Light / Dark Tdf, Brown, Rustic Beige/Anthracite Colors
- Italian Sabaf Burner Set
- Thermocouple
- Cast Iron Wok Adaptor
- Coffe Adaptor

60  
cm 4  
Gas

**P657**  
Inox



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner: 2,9 KW - Ø 100 mm
- 2 x Semi Rapid Burner: 1,7 W - Ø 75 mm
- 1 x Auxiliary Burner: 0,95 KW - Ø 55 mm
- Shiny Enamelled Pan Support
- One Hand Knob Integrated Ignition
- Inox Caps Knobs
- Inox

> **Optional Features**

- White, Black, Rustic Beige/Anthracite Colors
- Italian Sabaf Burner Set
- Thermocouple
- Coffe Adaptor

60  
cm 4  
Gas 1  
WOK

**P620**  
Inox



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 1 x Semi Rapid Burner: 1750 W
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Inox

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

60  
cm 4  
Gas

**P622**  
Inox



> **Main Features**

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Enamel Pan Support
- One Hand Knob Integrated Ignition
- Inox

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

NEW!

60 cm  
4 Electric



P605  
Inox



> Main Features

- 60 cm Width
- 4 Hotplate Burners
- 2 x Ø145 mm Hotplate: 1000 W x 2
- 2 x Ø180 mm Hotplate: 1500 W x 2
- Hotplate Warning Lamp
- Inox

60 cm  
3 Gas  
1 Electric



P602  
Inox



> Main Features

- 3 Gas Euro Pool Burners, 1 Hotplate Burner
- 1 x Rapid Burner: 3000 W
- 1 x Semi Rapid Burner: 1750 W
- 1 x Auxiliary Burner: 1000 W
- 1 x Hotplate: 1000 W
- Gray Knobs
- Enamel Pan Support
- One Hand Knob Integrated Ignition
- Inox

> Optional Features

- Thermocouple
- Italian Sabaf Burner Set

60 cm  
4 Gas



P601  
Inox




> Main Features

- 4 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Black Knobs
- Enamel Pan Support
- One Hand Knob Integrated Ignition
- Inox

> Optional Features

- Cast Iron Pan Support
- Thermocouple
- Italian Sabaf Burner Set
- Inox Grey Knobs



100  
cm5  
Gas1  
WOK

## P102

Black Glass



### > Main Features

- 5 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Round Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Black Glass

### > Optional Features

- Thermocouple
- Italian Sabaf Burner Set

90  
cm4  
Gas2  
WOK1  
Vitro

## P942

Inox



### > Main Features

- 4 Gas Euro Pool Burners, 1 Oval Dual Hi-Light Heater
- 2 x Wok Burner: 3,5 KW - Ø 131 mm
- 2 x Semi-Rapid Burner - 1,7 KW - Ø 75 mm
- Dual Highlight Heater - 1,7/0,7 KW - Ø 180/120 mm
- Cast Iron Pan Support-Matte Burner Caps
- Heat Indicator
- One Hand Knob Integrated Ignition
- Inox Grey Knobs
- Inox

### > Optional Features

- Rustic Beige/Anthracite Colors
- Italian Sabaf Burner Set
- Thermocouple
- Cast Iron Wok Adaptor
- Coffe Adaptor

90  
cm6  
Gas2  
WOK

## P904

Inox



### > Main Features

- 6 Gas Euro Pool Burners
- 2 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Inox

### > Optional Features

- Thermocouple
- Italian Sabaf Burner Set

90  
cm

5  
Gas

1  
WOK



**P909**  
Black Glass



> **Main Features**

- 5 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Aluminum Control Panel
- Black Glass

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

90  
cm

5  
Gas

1  
WOK



**P908**  
Black Glass



> **Main Features**

- 5 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Black Glass

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

90  
cm

5  
Gas

1  
WOK



**P902**  
Inox



> **Main Features**

- 5 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Inox

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

90  
cm

5  
Gas

1  
WOK



**P903**  
Inox



> **Main Features**

- 5 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Inox

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

78  
cm4  
Induction

**VIFTC.02R1** **NEW!**  
Induction Black Glass



> **Main Features**

- 2 XØ160mm 1400W/B1800W
- 2 XØ210mm 2100W/B2500W
- Slider Touch Control
- Black Ceramic Glass
- Plus Design
- Peripheral Bevel (3D)
- Front Side Bevel

> **Key Features**

- Timer
- Safety Function
- Hot Surface Indicator
- Pot Detection
- Pause Function
- Speed Heating
- Child Lock
- Auto Off
- Key Lock
- Mode Function

70  
cm5  
Gas  
1  
WOK

**P708**  
Black Glass




> **Main Features**

- 5 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Aluminum Control Panel
- Black Glass

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

70  
cm5  
Gas  
1  
WOK

**P707**  
Black Glass




> **Main Features**

- 5 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Black Glass

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

70  
cm5  
Gas  
1  
WOK

**P703**  
Black Glass




> **Main Features**


- 5 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Round Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Black Glass

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set



70 cm  
5 Gas  
1 WOK



**P706**  
White Glass



> **Main Features**

- 5 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- White Glass

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

70 cm  
5 Gas  
1 WOK



**P702**  
Inox



> **Main Features**

- 5 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Inox

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

70 cm  
5 Gas  
1 WOK



**P701**  
Inox



> **Main Features**

- 5 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Rapid Burner: 3000 W
- 2 x Semi Rapid Burner: 1750 W x 2
- 1 x Auxiliary Burner: 1000 W
- Black Knobs
- Enamel Pan Support
- One Hand Knob Integrated Ignition
- Inox

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

45 cm  
3 Gas  
1 WOK



**P402**  
Inox




> **Main Features**

- 3 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Semi Rapid Burner: 1750 W
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Inox

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set
- Rustic Beige & Rustic Black

45 cm  
3 Gas  
1 WOK



**P405**  
Rustic Beige




> **Main Features**

- 3 Gas Euro Pool Burners
- 1 x Wok Burner: 3,5 KW - Ø 131 mm
- 1 x Semi-Rapid Burner - 1,7 KW - Ø 75 mm
- 1 x Auxiliary Burner- 0,95 KW - Ø 55 mm
- Shiny Enamelled Pan Support & Shiny Burner Caps
- One Hand Knob Integrated Ignition
- Rustic Design Knobs
- Rustic Beige

> **Optional Features**

- White, Black, Inox, Light / Dark Tdf, Brown, Rustic Anthracite Colors
- Italian Sabaf Burner Set
- Italian Sabaf Wok Burner
- Thermocouple
- Cast Iron Pan Support-Matte Burner Caps
- Coffe Adaptor

45 cm  
3 Gas  
1 WOK



**P411**  
Black Glass




> **Main Features**

- 3 Gas Euro Pool Burners
- 1 x Wok Burner: 3600 W
- 1 x Semi Rapid Burner: 1750 W
- 1 x Auxiliary Burner: 1000 W
- Cast Iron Pan Support-Matte Burner Caps
- One Hand Knob Integrated Ignition
- Black Glass

> **Optional Features**

- Thermocouple
- Italian Sabaf Burner Set

30 cm 2 Vitro




**P307**  
Black Glass



> Main Features

- 30 cm Width
- 2 Hi-light Heaters
- 1 x Ø140 mm Highlight Heater: 1200 W
- 1 x Ø180/120 mm Dual Highlight Heater: 1700 W/700 W
- Touch Control
- Black Glass

30 cm 2 Gas



**P306**  
Black Glass



> Main Features

- 2 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 1 x Auxiliary Burner: 1000 W
- One Hand Knob Integrated Ignition
- Round Enamel Pan Support
- Black Glass

> Optional Features

- Round Cast Iron Pan Support
- Thermocouple
- Italian Sabaf Burner Set



30 cm 1 Gas 1 WOK



**P301**  
Inox




> Main Features

- 30 cm Width
- 1 x Wok Burner: 3600 W
- One Hand Knob Integrated Ignition
- Enamel Pan Support
- Inox

> Optional Features

- Cast Iron Pan Support
- Thermocouple
- Italian Sabaf Burner Set

30 cm 2 Gas



**P303**  
Inox



> Main Features

- 30 cm Width
- 2 Gas Euro Pool Burners
- 1 x Rapid Burner: 3000 W
- 1 x Auxiliary Burner: 1000 W
- One Hand Knob Integrated Ignition
- Enamel Pan Support,
- Inox

> Optional Features

- Cast Iron Pan Support
- Thermocouple
- Italian Sabaf Burner Set

30 cm 2 Electric



**P304**  
Inox



> Main Features

- 2 Hotplate Burner
- 1 x Ø145 mm Hotplate: 1000 W
- 1 x Ø180 mm Hotplate: 1500 W
- Hotplate Warning Lamp
- Inox





## Built-In Ovens

Enriched by the last developments in the technology and the impact of the Big Chefs, our oven collection gathers the delicacy, user friendliness performance and the exceptional longevity in the same time.

Naive or experimented; PROFF will make you the great masters of the kitchen.

Brings out a miracle not only in cooking but also in cleaning!

Cleaning technology inside the oven between 480-500 degrees with Pyrolytic cleaning.



F797

0+6  
Functions

61  
Litre

A  
Energy Class



F797

Black Glass

NEW!



#### > Main Features

- 60 cm Pyrolytic Built in Electric Oven
- Black Glass Panel
- Pyrolytic Cleaning
- Steam Cleaning
- Warm Keeping
- Defrost
- Pizza Cooking
- Yoghurt Function
- Digital Timer Programmer
- 0+6 Functions with Turbo Fan
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Knob
- 4 Glass With Fixed Metal Profile
- 2 Low-e Glasses
- Thermostat
- Cooling Fan
- Net Dimensions (H\*W\*D mm) :595\*595\*565
- Gross Dimensions (H\*W\*D mm) :

#### > Optional Features

- Telescopic Rail
- Encoder 1 knob control

0+5 Functions 80 Litre A Energy Class



**F809**  
Black Glass

**NEW!**



> **Main Features**

- 60 cm Built in Electric Oven
- 80 LT Oven Capacity
- Black Glass Slim Panel
- Low-e Inner Glass
- Thermostat
- Good Touch Digital Timer
- 0+5 Functions with Turbo Fan
- 1 Tray & 1 Grid & 1 Round Tray
- Side Wire Racks
- Catalytic Side Walls
- Inox Cap Knobs & Aluminum handle
- ETC Grey Enamel
- Cooling Fan
- Net Dimensions (H\*W\*D mm) :595\*595\*565
- Gross Dimensions (H\*W\*D mm) : 620\*640\*650


> **Optional Features**

- 10 Functions with Turbo Fan
- Child Lock
- Deep Tray
- Glass Tray
- Tray Grid
- Tray Handle
- Steam Cleaning
- Catalytic Back Walls
- Rotisserie
- Telescopic Rail
- ETC Black Enamel

0+13 Functions 80 Litre A Energy Class



**F803**  
Black Glass



> **Main Features**

- 60 cm Built in Electric Oven
- Black Glass Panel
- Low Temperature Cooking
- Steam Cleaning
- Warm Keeping
- Defrost
- Pizza Cooking
- Yoghurt Function
- Best Touch Timer (TFT Screen)
- 13 Functions with Turbo Fan
- 2 Square Lamps
- 1 Tray & 1 Grid
- Side Wire Racks
- Black Cap Knobs
- Dough Making
- Autocook Function
- ETC Grey Enamel
- Cooling Fan
- Net Dimensions (H\*W\*D mm) :595\*595\*565

> **Optional Features**

- Low-e Inner Glass
- 16 Functions with Turbo Fan
- Meat Probe
- Rotisserie
- Catalytic Back Walls
- Telescopic Rail
- ETC Black Enamel

0+8 Functions 80 Litre A Energy Class



**F801**  
Inox



> **Main Features**

- 60 cm Built in Electric Oven
- Inox Panel
- Steam Cleaning
- Defrost
- Yoghurt Function
- Good Touch Timer
- 9(0+8) Functions with Turbo Fan
- 2 Square Lamps
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Cap Knobs
- ETC Grey Enamel
- Thermostat
- Cooling Fan
- Net Dimensions (H\*W\*D mm) :595\*595\*565
- Gross Dimensions (H\*W\*D mm) :

> **Optional Features**

- Low-e Inner Glass
- Rotisserie
- ETC Black Enamel
- Telescopic Rail
- Catalytic Back Walls
- Child Lock

0+7 Functions 61 Litre A Energy Class



**F775**  
Dark Inox



> **Main Features**

- 60 cm Built in Electric Oven
- Black Glass & Square Black Inox Stripe
- Digital Timer Programmer
- 0+7 Functions with Turbo Fan
- 1 Tray & 1 Grid
- Side Wire Racks
- Special Serie Knob
- Thermostat
- Cooling Fan
- Net Dimensions (H\*W\*D mm) : 595\*595\*565
- Gross Dimensions (H\*W\*D mm) :

> **Optional Features**

- Low-e Inner Glass
- Triple Oven Door Glass
- Rotisserie
- Catalytic Side & Back Walls
- Telescopic Rail

0+7 Functions 61 Litre A Energy Class



**F755**  
Inox



> **Main Features**

- 60 cm Built in Electric Oven
- Inox Panel+Bottom Inox Stripe
- Digital Timer Programmer- 6 Touch
- 0+7 Functions with Turbo Fan
- 1 Tray & 1 Grid
- Side Wire Racks
- Special Serie Knob
- Thermostat
- Cooling Fan
- Net Dimensions (H\*W\*D mm) :595\*595\*565
- Gross Dimensions (H\*W\*D mm) :

> **Optional Features**


- Low-e Inner Glass
- Triple Oven Door Glass
- Rotisserie
- Catalytic Side & Back Walls
- Telescopic Rail

0+10 Functions 75 Litre A Energy Class



**F750**  
Inox

**NEW!**



> **Main Features**

- 60 cm Built in Electric Oven
- Timer Visio Touch Controller
- Inox Panel-Inox Stripe on Glass Door
- 0+10 Functions with OvenLight-Defrost-Fan+Ring-Top+Bottom-Top+Bottom+Fan-Pizza-Grill-DGrill-DGrill+Fan
- Thermostat
- Oven Light On Rear Wall
- 1 Tray & 1 Grid
- Inox Cap Pop-Up Knobs
- Low-e Inner Glass
- Cooling Fan
- Hot Air Shield
- Net Dimensions (H\*W\*D mm) :595\*595\*575
- Gross Dimensions (H\*W\*D mm) :650\*650\*640

0+7  
Functions

61  
Litre

A  
Energy Class



**F765**  
Black Glass



> **Main Features**

- 60 cm Built in Electric Oven
- Black Glass Panel+Bottom Inox Stripe & Black Glass Door + Revers U Inox Stripe
- Digital Timer Programmer
- 0+7 Functions with Turbo Fan
- 1 Tray & 1 Grid
- Side Wire Racks
- Special Serie Knob
- Thermostat
- Cooling Fan
- Net Dimensions (H\*W\*D mm) :595\*595\*610
- Gross Dimensions (H\*W\*D mm) :

> **Optional Features**

- Low-e Inner Glass
- Triple Oven Door Glass
- Rotisserie
- Catalytic Side & Back Walls
- Telescopic Rail

0+5  
Functions

60  
Litre

A  
Energy Class



**F639**  
Inox Flotal



> **Main Features**

- 60 cm Built in Electric Oven with Turbo Fan
- Inox Panel-Flotal Mirror Glass Door
- Thermostat
- Touch Digital Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Grey Pop-Up Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> **Optional Features**

- Rotisserie
- Telescopic Pull Out Rack System
- Triple Oven Door Glass
- Catalytic Side & Back Walls
- Light-Night Knobs

0+15  
Functions

60  
Litre

A  
Energy Class



**F645**  
Inox



> **Main Features**

- 60 cm Built in Electric Oven
- Inox Panel-U Type Inox Stripe on Glass Door
- Thermostat
- Full Touch LCD Timer
- 0+15 Functions with Turbo Fan
- 1 Tray & 1 Grid
- Side Wire Racks
- Rotisserie
- Product Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Product Gross Dimensions (H\*W\*D mm) :655\*650\*620"

> **Optional Features**

- Triple Oven Door Glass
- Rotisserie
- Catalytic Side & Back Walls
- Telescopic Rail


0+15  
Functions

60  
Litre

A  
Energy Class



**F646**  
Black Glass



> **Main Features**

- 60 cm Built in Electric Oven with Turbo Fan
- Black Glass
- Thermostat
- Full Touch LCD Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Rotisserie
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620


> **Optional Features**

- Telescopic Pull Out Rack System
- Triple Oven Door Glass
- Catalytic Side & Back Walls

0+8  
Functions

60  
Litre

A  
Energy Class



**F644**  
Gray Glass



> **Main Features**

- 60 cm Built in Electric Oven with Turbo Fan
- Gray Glass
- Thermostat
- Touch Digital Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Grey Pop-Up Knobs
- Net Dimensions (HxWxD mm) : 595\*595\*610
- Gross Dimensions (HxWxD mm) :655\*650\*620

> **Optional Features**

- Rotisserie
- Telescopic Pull Out Rack System
- Triple Oven Door Glass
- Catalytic Side & Back Walls
- Light-Night Knobs

0+8  
Functions

60  
Litre

A  
Energy Class



**F617**  
Black Glass



> **Main Features**

- 60 cm Built in Electric Oven with Turbo Fan
- Black Glass
- Thermostat
- Touch Digital Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Grey Knobs
- Product Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Product Gross Dimensions (H\*W\*D mm) :655\*650\*620

> **Optional Features**

- Rotisserie
- Telescopic Pull Out Rack System
- Triple Oven Door Glass
- Catalytic Side & Back Walls

0+8 Functions  
60 Litre  
A Energy Class



**F624**  
Black Glass



> Main Features

- 60 cm Built in Electric Oven with Turbo Fan
- Black Glass-Inox Stripe on Glass Door
- Thermostat
- Touch Digital Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Grey Pop-Up Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

- Rotisserie
- Telescopic Pull Out Rack System
- Triple Oven Door Glass
- Catalytic Side & Back Walls
- Light-Night Knobs

0+8 Functions  
60 Litre  
A Energy Class



**F610**  
Inox



> Main Features

- 60 cm Built in Electric Oven with Turbo Fan
- Inox Panel- U Type Inox Stripe on Glass Door
- Thermostat
- Touch Digital Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Grey Knobs
- Net Dimensions (HxWxD mm) : 595\*595\*610
- Gross Dimensions (HxWxD mm) :655\*650\*620

> Optional Features

- Rotisserie
- Telescopic Pull Out Rack System
- Triple Oven Door Glass
- Catalytic Side & Back Walls

0+5 Functions  
60 Litre  
A Energy Class



**F622**  
White Glass



> Main Features

- 60 cm Built in Electric Oven with Turbo Fan
- Clear White Glass
- Thermostat
- Touch Digital Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Grey Pop-Up Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

- Rotisserie
- Telescopic Pull Out Rack System
- Triple Oven Door Glass
- Catalytic Side & Back Walls
- Light-Night Knobs

0+5 Functions  
60 Litre  
A Energy Class



**F643**  
Black Glass



> Main Features

- 60 cm Built in Electric Oven with Turbo Fan
- Black Glass-Inox Stripe on Glass Door
- Thermostat
- Mechanic Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Grey Pop-Up Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

- Rotisserie
- Catalytic Side & Back Walls
- Light-Night Knobs

0+5 Functions  
60 Litre  
A Energy Class



**F620**  
White Glass



> Main Features

- 60 cm Built in Electric Oven With Turbo Fan
- Clear White Glass
- Thermostat
- Mechanic Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Grey Pop-Up Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

- Rotisserie
- Catalytic Side & Back Walls

0+3 Functions  
62 Litre  
A Energy Class



**F603-F604-F605**  
Inox Electric / Gas / Mix



> Main Features

- **F603 Electric Oven**
- 60 cm Built in Electric Oven
- Inox Panel-Inox Stripe on Glass Door
- Thermostat
- Mechanic Timer
- 1 Tray & 1 Grid
- Inox Grey Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features


- **F604 Gas Oven**
- Up&Down Gas Burners
- Thermostat
- Ignition
- Thermocouple
- Turbo Fan

- **F605 Mix Oven**
- Up Electric&Down Gas Burners
- Thermostat
- Ignition
- Thermocouple
- Turbo Fan

0+4  
Functions

62  
Litre

A  
Energy Class



**F611 - F612 - F613**  
Black Glass Electric / Gas / Mix



> Main Features

**F611 Electric Oven**

- 60 cm Built in Electric Oven
- Black Glass
- Thermostat
- Mechanic Timer
- 1 Tray & 1 Grid
- Inox Grey Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

**F612 Gas Oven**

- Up&Down Gas Burners
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan

**F613 Mix Oven**

- Up Electric&Down Gas Burner
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan

0+5  
Functions

60  
Litre

A  
Energy Class



**F606 - F607 - F608**  
Inox Electric / Gas / Mix



> Main Features

**F606 Electric Oven**

- 60 cm Built in Electric Oven with Turbo Fan
- Inox Panel & Inox Bottom Stripe
- Thermostat
- Touch Digital Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Grey Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

**F607 Gas Oven**

- Up&Down Gas Burners
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan

**F608 Mix Oven**

- Up Electric&Down Gas Burner
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan

Let it cleans itself,  
**you just love it ...**

Catalytic and Steam cleaning  
technology inside the oven.



0+5  
Functions

60  
Litre

A  
Energy Class



**F642**  
Inox



> Main Features

- 60 cm Built in Electric Oven with Turbo Fan
- Inox Panel-Inox Stripe on Glass Door
- Thermostat
- Mechanic Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Inox Grey Pop-Up Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620


> Optional Features

- Rotisserie
- Telescopic Pull Out Rack System
- Triple Oven Door Glass
- Catalytic Side & Back Walls
- Light-Night Knobs

0+3  
Functions

62  
Litre

A  
Energy Class



**F638**  
Inox



> Main Features

- 60 cm Built in Electric Oven
- Inox Panel
- Thermostat
- Mechanic Timer
- 1 Tray & 1 Grid
- Inox Grey Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

- Rotisserie
- Side Wire Rack System
- Catalytic Side & Back Walls

0+3  
Functions

66  
Litre

B  
Energy Class



**F601**  
Inox



> Main Features

- 60 cm Built in Electric Oven
- Inox Panel
- Thermostat
- 1 Tray & 1 Grid
- Side Wire Rack System
- Black Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

- Rotisserie
- Catalytic Side & Back Walls
- A Class Energy

0+3 Functions  
66 Litre  
B Energy Class



**F640**  
White




> Main Features

- 60 cm Built in Electric Oven
- White Panel
- Thermostat
- Mechanic Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- White Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

- Rotisserie
- Catalytic Side & Back Walls
- A Class Energy

0+3 Functions  
62 Litre  
B Energy Class



**F641**  
Black




> Main Features

- 60 cm Built in Electric Oven
- Black Panel
- Thermostat
- Mechanic Timer
- 1 Tray & 1 Grid
- Black Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

- Rotisserie
- Side Wire Rack System
- Catalytic Side & Back Walls
- A Class Energy

0+3 Functions  
62 Litre  
A Energy Class



**F602**  
Inox



> Main Features

- 60 cm Built in Electric Oven
- Inox Panel
- Thermostat
- 1 Tray & 1 Grid
- Inox Grey Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

- Rotisserie
- Side Wire Rack System
- Catalytic Side & Back Walls



0+4  
Functions

66  
Litre

A  
Energy Class



**F632 - F633 - F634**  
Beige Rustic Electric / Gas / Mix



> Main Features

**F632 Electric Oven**

- 60 cm Built in Electric Oven
- Rustic Beige Design
- Thermostat
- Mechanic Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Rustic Design Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

**F633 Gas Oven**

- Up&Down Gas Burners
- Thermostat
- Ignition
- Thermocouple
- Rotisserie


**F634 Mix Oven**

- Up Electric&Down Gas Burner
- Thermostat
- Ignition
- Thermocouple
- Rotisserie

0+5  
Functions

60  
Litre

A  
Energy Class



**F635 - F636 - F637**  
Black Rustic Electric / Gas / Mix



> Main Features

**F635 Electric Oven**

- 60 cm Built in Electric Oven with Turbo Fan
- Rustic Anthracite Design
- Thermostat
- Analog Timer
- 1 Tray & 1 Grid
- Side Wire Racks
- Rustic Design Knobs
- Net Dimensions (H\*W\*D mm) : 595\*595\*610
- Gross Dimensions (H\*W\*D mm) :655\*650\*620

> Optional Features

**F636 Gas Oven**

- Up&Down Gas Burners
- Thermostat
- Ignition
- Thermocouple
- Rotisserie

**F637 Mix Oven**

- Up Electric&Down Gas Burner
- Thermostat
- Ignition
- Thermocouple
- Rotisserie



0+8  
Functions

101  
Litre

B  
Energy Class



**F945 - F955 - F965**  
Black Glass



> Main Features

**F945 Electric Oven**

- 90 cm Built in Electric Oven with Turbo Fan
- Black Glass-Inox Stripe on Glass Door
- Thermostat
- Touch Digital Timer
- 1 Tray & 1 Grid

- Rotisserie
- Side Wire Racks
- Inox Grey Knobs
- Net Dimensions (H\*W\*D mm): 595\*896\*610
- Gross Dimensions (H\*W\*D mm) : 670\*935\*665

**F955 Gas Oven**

- Up&Down Gas Burners
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan

**F965 Mix Oven**

- Up Electric&Down Gas Burner
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan

> Optional Features

- Telescopic Pull Out Rack System
- Triple Oven Door Glass
- Catalytic Side & Back Walls

0+8  
Functions

101  
Litre

B  
Energy Class



**F944 - F954 - F964**  
Inox



> Main Features

**F944 Electric Oven**

- 90 cm Built in Electric Oven with Turbo Fan
- Inox Panel-Inox Stripe on Glass Door
- Thermostat
- Touch Digital Timer
- 1 Tray & 1 Grid

- Rotisserie
- Side Wire Racks
- Inox Grey Knobs
- Net Dimensions (H\*W\*D mm): 595\*896\*610
- Gross Dimensions (H\*W\*D mm): 670\*935\*665

**F955 Gas Oven**

- Up&Down Gas Burners
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan

**F965 Mix Oven**

- Up Electric&Down Gas Burner
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan

> Optional Features


- Telescopic Pull Out Rack System
- Triple Oven Door Glass
- Catalytic Side & Back Walls



0+5  
Functions

101  
Litre

B  
Energy Class



## F905 - F906 - F907

Beige Rustic Electric / Gas / Mix



### > Main Features

- F905 Electric Oven
- 90 cm Built in Electric Oven with Turbo Fan
- Rustic Beige Design
- Thermostat
- Analog Timer
- 1 Tray & 1 Grid
- Rotisserie
- Side Wire Racks
- Rustic Design Knobs
- Net Dimensions (H\*W\*D mm): 595\*896\*610
- Gross Dimensions (H\*W\*D mm) : 670\*935\*665

### F955 Gas Oven

- Up&Down Gas Burners
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan


### F965 Mix Oven

- Up Electric&Down Gas Burner
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan

0+4  
Functions

110  
Litre

B  
Energy Class



## F941-F942-F943

Inox Electric / Gas / Mix



### > Main Features

- F941 Electric Oven
- 90 cm Built in Electric Oven
- Inox
- Bottom inox stripe
- Thermostat
- Mechanic Timer
- 1 Tray & 1 Grid
- Rotisserie
- Side Wire Racks
- Rustic Design Knobs
- Net Dimensions (H\*W\*D mm): 595\*896\*610
- Gross Dimensions (H\*W\*D mm): 670\*935\*665

### F955 Gas Oven

- Up&Down Gas Burners
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan

### F965 Mix Oven

- Up Electric&Down Gas Burner
- Thermostat
- Ignition
- Thermocouple
- Rotisserie
- Turbo Fan

0+8  
Functions

46  
Litre

A  
Energy Class



## F402

Black Glass



### > Main Features

- 45 cm Built in Electric Oven with Turbo Fan
- Black Glass Panel
- Digital Programmer
- Thermostat
- 1 Tray & 1 Grid
- Inox Hat Knobs
- Net Dimensions (H\*W\*D mm) : 595\*450\*610
- Gross Dimensions (H\*W\*D mm) :655\*475\*650

### > Optional Features

- Rotisserie
- Catalytic Side & Back Walls

0+6  
Functions

46  
Litre

A  
Energy Class



## F401

Inox



### > Main Features

- 45 cm Built in Electric Oven with Turbo Fan
- Inox Panel-Inox Stripe on Glass Door
- Mechanic Timer
- Thermostat
- 1 Tray & 1 Grid
- Inox Hat Knobs
- Net Dimensions (H\*W\*D mm) : 595\*450\*610
- Gross Dimensions (H\*W\*D mm) :655\*475\*650

### > Optional Features

- Rotisserie
- Catalytic Side & Back Walls
- Rustic Beige & Rustic Black



How to make “Better than  
Movie Theater Popcorn”



## Built-In Microwaves

The philosophy of design adopted by PROFF is influenced by paying meticulous attention of the details and the avant-gardism, all are products the perfect combination between design and the smart technology.



8 Functions  
20 Litre  
5 Levels



**MWO20XP-N** **NEW!**  
Inox

> **Main Features**

- 20 Lt Oven Capacity
- Microwave Output Power: 800 W
- Grill Power: 1000 W
- Digital Control
- Grill Function
- Red LED Display
- Quick Start
- 8 Cooking Function
- 5 Power Level
- Child Safety Lock
- Large Door Window
- Inox Frame
- Inox

8 Functions  
20 Litre  
5 Levels



**MWO20BG-N** **NEW!**  
Black Acrylic

> **Main Features**

- 20 Lt Oven Capacity
- Microwave Output Power: 800 W
- Grill Power: 1000 W
- Digital Control
- Grill Function
- Red LED Display
- Quick Start
- 8 Cooking Function
- 5 Power Level
- Child Safety Lock
- Large Door Window
- Black Acrylic

8 Functions  
25 Litre  
5 Levels



**MWO25XF**  
Inox

> **Main Features**

- 25 Lt Oven Capacity
- Microwave Output Power: 900 W
- Grill Power: 1000 W
- Digital Control
- Grill Function
- 5 Power Level
- 8 Cooking Function
- Child Safety Lock
- Inox

8 Functions  
25 Litre  
5 Levels



**MWO25BG**  
Black

> **Main Features**

- 25 Lt Oven Capacity
- Microwave Output Power: 900 W
- Grill Power: 1000 W
- Digital Control
- Grill Function
- 5 Power Level
- 8 Cooking Function
- Child Safety Lock
- Black Acrylic

Wherever you are,  
so the **flavor** is there..

54



## Midi Ovens

Although it is called "midi or mini" oven, its performance possibly make you a cooking addict.

With its outstanding function of convectional cooking, hot air homogenously reaches all points of your dishes.

0+5  
Functions

40  
Litre



**OM40B**  
Black Anthracite



> **Main Features**

- 40 Lt Midi Oven
- 0+5 Functions with Turbo Fan
- Upper Resistance -650 W
- Lower Resistance-650 W
- Double Glass
- Mechanic Timer-90 Minutes
- Inox Cap Knobs
- Inox Painted Handle
- 2 Square Tray & 1 Round Tray
- Black Anthracite
- Net Dimensions (H\*W\*D mm) :330\*520\*440

> **Optional Features**

- Silver Color
- 0+6 Functions with Turbo Fan
- Rotisserie
- Lamp
- Oven Tray Wire Holder

0+5  
Functions

50  
Litre



**OM50B**  
Black Anthracite



> **Main Features**

- 50 Lt Midi Oven
- 0+5 Functions with Turbo Fan
- Upper Resistance -600 W
- Lower Resistance-800 W
- Double Glass
- Mechanic Timer-90 Minutes
- Inox Cap Knobs
- Inox Painted Handle
- 2 Square Tray & 1 Round Tray
- Black Anthracite
- Net Dimensions (H\*W\*D mm) :330\*590\*445

> **Optional Features**

- Silver Color
- Heat Protection Cover
- 0+6 Functions with Turbo Fan
- Yoghurt Function
- Rotisserie
- Inner Light
- Enamelled Inner Back Surface
- Bottom Resistance Hiding Sheet Metal
- Oven Tray Wire Holder

0+5  
Functions

70  
Litre



**OM70B**  
Black Anthracite



> **Main Features**

- 70 Lt Midi Oven
- 0+5 Functions with Turbo Fan
- Upper Resistance -800 W
- Lower Resistance-1000 W
- Double Glass
- Mechanic Timer-90 Minutes
- Inner Light
- Inox Cap Knobs
- Inox Painted Handle
- Bottom Resistance Hiding Sheet Metal
- 2 Square Tray & 1 Round Tray
- Black Anthracite
- Net Dimensions (H\*W\*D mm) :418\*632\*486

> **Optional Features**

- Silver Color
- 0+6 Functions with Turbo Fan
- Yoghurt Function
- Rotisserie
- Enamelled Inner Back Surface



## Semi-prof & Solo Cookers

The new PROFF range cookers are suitable not only for your home, also for the small restaurants, cafes, B&B hotels.


Apart from its high performance, it is equipped with the professional accessories such as Stainless Steel Worktop, Real Cast Iron pan supports, Triple crown rapid burners, ensuring the highest security standards with the Flame Safety Devices.

You will not anymore be afraid of welcoming your outnumbered guests with its ultra-large oven.

4 Gas  
0+9 Functions  
60 Litre



**CS619SXP**  
Full Inox



> **Main Features**

- 60x60 Free Standing Semi Professional Cooker
- Electric Oven / 4 Gas with FFD
- Cast Iron Pan Support
- Mechanic Timer
- 1 Tray & 1 Grid
- 0+9 Functions with Turbo Fan
- Lamp & Auto Ignition for Hob Burners
- Side Wire Racks
- Splashback
- Full Inox

> **Optional Features**

- Coffee Adaptor
- Wok Burner Adaptor
- Rotisserie
- Ring Heater Spiral Options
- Cooling Fan
- Telescopic Rails
- Catalytic Side & Back Walls

5 Gas  
0+7 Functions  
110 Litre



**CSP90BG**  
Top Table Inox - Rest Black



> **Main Features**

- 90x60 Free Standing Semi Professional Cooker
- Electric Oven / 5 Gas with FFD
- Rapid Burner - 2,9 KW
- Semi Rapid Burner - 1,7 KW
- Auxiliary Burner - 0,95 KW
- Wok Burner - 3,5 KW
- Cast Iron Pan Support
- 3 Touch Digital Timer Programmer
- 0+7 Functions with Turbo Fan
- 1 Deep Tray & 1 Grid
- Lamp & Auto Ignition for Hob Burners
- Side Wire Racks
- Splashback
- Kickplate
- Top Table Inox-Rest Black

> **Optional Features**

- Shiny Black, TDF Light, TDF Dark, Brown, Anthracite / Beige, Top Plate Black - Rest Inox Grey, Pine-patterned, Inox Grey Colors
- 9 Func. (0+8) Bottom+Top+Grill+High and Low Grill+T.Fan+Turbo Heating Element
- 10 Func. (0+9) Bottom+Top+Grill+T. Fan+Turbo Heating Element
- Coffee Adaptor
- Wok Burner Adaptor
- Rotisserie
- Timer
- Ring Heater Spiral Options
- Cooling Fan
- Telescopic Rails

5 Gas  
0+7 Functions  
93 Litre



**C90GESL**  
Inox Grey



> **Main Features**

- 90x60 Free Standing Cooker
- Electric Oven / 5 Gas with FFD
- Rapid Burner - 2,9 KW
- Semi Rapid Burner - 1,7 KW
- Auxiliary Burner - 0,95 KW
- Wok Burner - 3,5 KW
- 1 Deep Tray & 1 Grid
- Cast Iron Pan Support
- 0+7 Functions with Turbo Fan
- Lamp & Auto Ignition for Hob Burners
- Inox Painted Black Cap Knobs
- Aluminium Handle
- Glass Top Lid
- Inox Grey

> **Optional Features**

- 9 Func. (0+8) Bottom+Top+Grill+High and Low Grill+T.Fan+Turbo Heating Element
- 10 Func. (0+9) Bottom+Top+Grill+T. Fan+Turbo Heating Element
- Coffee Adaptor
- Wok Burner Adaptor
- Splashback
- Timer
- Rotisserie
- Ring Heater Spiral Options
- Cooling Fan
- Telescopic Rails
- Catalytic Side & Back Walls
- Side Wire Racks
- Inox Kickguard
- Panel Protect Plate

5 Gas  
3 Functions  
54 Litre



**CB90GGXR**  
Top Table Inox-Rest Pomegranate Red



> **Main Features**

- 90x60 Free Standing Cooker with Bottle Compartment
- Gas Oven/5 Gas with FFD
- Cast Iron Pan Support
- Mechanic Timer
- 1 Tray & 1 Grid
- Glass Top Lid
- Panel Protect Plate
- Flape Bottom Compartment
- Inox Grey Knobs
- Aluminium Handle
- Glass Top Lid
- Double Knob-Top & Down Burner with FFD
- Lamp & Push Button Ignition for Hob Burners
- Top Table Inox-Rest Pomegranate Red

> **Optional Features**

- Coffee Adaptor
- Wok Burner Adaptor
- Splashback
- Rotisserie
- White, Black, Shiny Black, TDF Light, TDF Dark, Brown, Anthracite / Beige, Pine-patterned, Inox Grey Colors
- Full Inox
- Telescopic Rails
- Catalytic Side & Back Walls
- Side Wire Racks
- Kick Plate



60

4 Vitro  
0+6 Functions  
60 Litre



**C6060VTIXB**  
Black



> **Main Features**

- 60x60 Free Standing Cooker
- Electric Oven / Vitroceramic Top Table-Rest Black
- Mechanic Timer
- 0+6 Functions with Turbo Fan
- Side Wire Racks
- 1 Tray & 1 Grid
- Inox Cap Knobs
- Aluminium Handle

> **Optional Features**

- Rotisserie
- 10 Functions (0+9) Bottom + Top + Grill + T.Fan + Turbo Heating Element(Ring)
- Ring Heater Spiral Options
- White, Shiny Black / TDF Light / TDF Dark / Mono Brown , Anthracite / Beige, Pine-patterned,
- Top Plate Black - Rest Inox Grey Colors
- Full Inox
- Vitroceramic Hob Glass Color - White
- Door Thermometer
- Child Lock
- Cooling Fan
- Telescopic Rails
- Catalytic Side & Back Walls

4 Gas  
1 Function  
63 Litre



**C60GGSL**  
Inox Grey



> **Main Features**

- 60x60 Free Standing Cooker
- Gas Oven / 4 Gas with FFD
- Single Knob-Down Burner with FFD
- Control Panel Protection Sheet
- 1 Tray & 1 Grid
- Metal Top Lid
- Inox Grey

> **Optional Features**

- White, Shiny Black / TDF Light / TDF Dark / Mono Brown , Anthracite / Beige,Inox Grey, Pine-patterned, Top Plate Black - Rest Inox Grey Colors
- Full Inox
- Coffee Adaptor
- Wok Burner Adaptor
- Splashback
- Lamp - Ignition Options
- Side Wire Racks
- Rotisserie
- Telescopic Rails
- Catalytic Side Walls
- Timer



**The quiet one,  
or the colorful...**

**Screened one,  
or automatic...**

Harmonious display of different products  
produced with same sustainable quality &  
same purpose...




## Cooker Hoods

When the technology meets the universe of design, extremely efficient, highly functional and silent hood provides you a more fresh and clean air thanks to its motor technology which guarantee you an efficiency of optimal suction power.



# 2 IN 1



- No more looking for a separate place for TV on your walls!
- No more making holes in your walls, no more using apparatus!
- No more watching from one angle!
- With its patented unique design, it is the latest in old technologies!
- Can be used With / Without Chimney!
- Movable steam steering panel!
- Movable screen that can move left-right, up-down with its special mechanism!
- The TV unit is 100% insulated against moisture, steam, liquid and flame contact.
- Heat resistant tempered glass surface that provides easy maintenance and cleaning!



986 m<sup>3</sup>/h    5    140W  
Free Flow Extraction    Speed    Motor Power

## TV HOOD

Ultra Silence

### > Main Features

- 60 cm Kitchen TV Cooker Hood
- Touch control
- 5 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- Energy Class: A
- Free Flow Extraction Power: 962-986 m3/h (Radialitic Silence Motor)
- Package Dimensions(WxDxH): 78x62x44
- Nano Carbon Filter
- Auto Shut Down Timer
- Filter Saturation Indicator
- Remote Control
- Piston Hinge
- 24inc TV With Receiver (USB,HDMI)
- Adjustable TV Direction



550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



Auto Opening

## LD99

Curve Black Glass



### > Main Features

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- Auto Intelligent Opening
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Double Chimney
- Auto Shut Down Timer
- Filter Saturation Indicator
- Piston Hinge
- Black Glass
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min:210 m<sup>3</sup>/h-max:455 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 65x54,5x51

### > Optional Features

- Carbon Filter Set
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed Motor+C class energy
- 90 cm Width
- Remote Control

### > Glass Colors

- Black, White

www.proff.com.tr

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



Single Big Glass

## LD55BB

Black Glass & Transparent Stripe



### > Main Features

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Double Chimney
- Auto Shut Down Timer
- Piston Hinge
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 62,5x41,7x48

### > Optional Features

- Carbon Filter Set
- 90 cm Width
- Remote Control
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



Soft Close

## LD75

Soft Close



### > Main Features

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x2 Watt Led Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- Auto Shut Down Timer
- Filter Saturation Indicator
- Piston Hinge Soft Close/Soft Open
- 150 mm Air Outlet
- Double Chimney
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 65x54,5x51

### > Optional Features

- Carbon Filter Set
- 90 cm Width
- Remote Control
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed Motor+C class Energy

### > Glass Colors

- Black, White



PROFF

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD74**  
Inox & Black Glass



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Piston Hinge
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h)
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 69X58X60

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- Remote Control
- 400 m<sup>3</sup>/h-110 Watt+ D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+ C class energy
- Stainless Steel Stripes

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD51**  
Grey Glass



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Piston Hinge
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h)
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 68x55x58


> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- Remote Control
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed Motor+C class energy

> **Glass Colors**

- Black, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**LD73**  
2 Color Glass



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- Auto Shut Down Timer
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 67x51.5x49

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- 550 m<sup>3</sup>/h-140 Watt Motor+ D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy
- Stainless Steel Stripes
- Piston Hinge
- Remote Control

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**LD72**  
2 Black Glass & Gold Stripe



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- Auto Shut Down Timer
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dB-max 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 67X51.5X49

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- 550 m<sup>3</sup>/h-140 watt+D Class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy
- Stainless Steel Stripes
- Piston Hinge
- Remote Control
- Stainless Steel Stripes

> **Glass Colors**

- Black, Grey, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**LD71**  
2 Glass S Design



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- Auto Shut Down Timer
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 62,5X41,7X48

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- 550 m<sup>3</sup>/h-140 watt+D Class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy
- Stainless Steel Stripes
- Piston Hinge
- Remote Control
- Stainless Steel Stripes

> **Glass Colors**

- Black, Grey, Red, White



550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD59**  
Black Glass



> **Main Features**

- 90 cm Wall-type Inclined Round Chimney Hood
- Touch Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Piston Hinge
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 98x51x62

> **Optional Features**

- Carbon Filter Set
- Remote Control
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed Motor+C class energy

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD49**  
Black Glass



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x2 Watt Led Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Piston Hinge
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 68X55X58

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- Remote control
- 2x20 Watt Halogen Spots
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed Motor+C class energy

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD50**  
Black Glass



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Piston Hinge
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 68X57X58

> **Optional Features**

- Carbon Filter Set
- Remote control
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed Motor+C class energy

> **Glass Colors**

- Black, White

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD48X**  
Inox



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Electronic Control
- 3 Speed
- 2x2 Watt Led Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Piston Hinge
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 68x55x58

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- Remote control
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed Motor+C class energy

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD48GL**  
Inox & Black Glass



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Electronic Control
- 3 Speed
- 2x2 Watt Led Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Piston Hinge
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 68X55X58

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- Remote control
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed Motor+C class energy

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD41**  
Inox & Glass



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Electronic Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Piston Hinge
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 68X55X58

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed Motor+C class Energy

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



## LD57X

Black 3 Glass & Inox Stripes



### > Main Features

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Auto Shut Down Timer
- Double Chimney
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 67X51,5X49

### > Optional Features

- Carbon Filter Set class energy
- 90 cm Width
- Remote control
- Piston Hinge
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

### > Glass Colors

- Black, White

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



## LD57

Black 3 Glass



### > Main Features

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Auto Shut Down Timer
- Double Chimney
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 67X51,5X49

### > Optional Features

- Carbon Filter Set class energy
- 90 cm Width
- Remote control
- Piston Hinge
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy
- Stainless Steel Stripes

### > Glass Colors

- Black, White

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



## LD47X

Black Glass & Inox Stripes



### > Main Features

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Auto Shut Down Timer
- Double Chimney
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 67x51,5x49

### > Optional Features

- Carbon Filter Set class energy
- 90 cm Width
- Remote control
- Piston Hinges
- Filter Saturation Indicator
- 2x2 Watt LED Spots
- 5 Speed
- 400 m<sup>3</sup>/h-110 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

### > Glass Colors

- Black, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



## LD47BB

Black Glass



### > Main Features

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Auto Shut Down Timer
- Piston Hinge
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 62,5x41,7x48

### > Optional Features

- Carbon Filter Set class energy
- 90 cm Width
- Remote control
- Stainless Steel Stripes
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

### > Glass Colors

- Black, White, Grey

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



## LD67

3 Curved Glass



### > Main Features

- 60 cm Wall-type Inclined Chimney Hood
- Curved Glass
- Touch Control
- 3 Speed
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Auto Shut Down Timer
- Double Chimney
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 67x51,5x49

### > Optional Features

- Carbon Filter Set class energy
- 90 cm Width
- Remote control
- Piston Hinge
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy
- Stainless Steel Stripes

### > Glass Colors

- Black, White,

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



## LD42BB

Black Glass



### > Main Features

- 60 cm Wall-type Inclined Chimney Hood
- Hidden Push-Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 62,5x41,7x48

### > Optional Features

- Carbon Filter Set class energy
- 90 cm Width
- Piston Hinges
- 2x2 Watt LED Spots
- 2x5 Watt LED Lamps
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy
- Stainless Steel Stripes

### > Glass Colors

- Black, White,



400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**LD46BB**  
Black Glass



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Push-Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h)
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 62,5x41,7x48


> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- Piston Hinges
- 2x2 Watt LED Spots
- 2x5 Watt LED Lamps
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy
- Stainless Steel Stripes

> **Glass Colors**

- Black, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**LD47BB-W**  
White Glass



> **Main Features**

- 60 cm Wall-type Inclined Chimney Hood
- Touch Control
- 3 Speed
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Auto Shut Down Timer
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h)
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 62,5x41,7x48

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- Remote control
- Stainless Steel Stripes
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> **Glass Colors**

- Black, Grey, White

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD96**  
Black Glass Panel & Inox



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Touch Control
- 3 Speed
- 2x2 W LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h)
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 65x43x62

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- Remote Control
- 2x1 Watt Mini LED Spots
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> **Color Options**

- Black, Inox, White

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD96-90** **NEW!**  
Black Glass Panel & Inox



> **Main Features**

- 90 cm Wall-type Chimney Hood
- Touch Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 44 dB-max 64 dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h)
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 95X43X62

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- Remote Control
- 2x1 Watt Mini LED Spots
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy
- 5 Speed

> **Glass Colors**

- Black, Grey, White

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD96PB**  
Black Glass Panel & Inox



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Push Button Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h)
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 65X43X62

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- Remote Control
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> **Color Options**

- Black, Inox, White

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD37**  
Inox



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Electronic Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 65X43X62

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed+C class energy

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**LD35**  
Inox



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Push Button Control
- 3 Speed
- 1x5 W LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>-110 Watt
- Package Dimensions (WxDxH): 65X32X55

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- 2x5 Watt Led Lamps
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 850 m<sup>3</sup>/h-200 Watt + B class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD23**  
Inox



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Electronic Control
- 3 Speed
- 2x2 W LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Auto Timer Shut Down
- Filter Saturation Indicator
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 68X51X62

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed Motor+C class energy

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD36**  
Inox & Glass Panel



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Touch Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 65X43X62

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- Remote Control
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed+C class energy



550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD21**  
Inox & Flat Glass



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Electronic Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 65X43X62

> **Optional Features**

- Carbon Filter Set class energy
- 90 cm Width
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy

> **Color Options**

- Inox, Black, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**LD21 ECO** **NEW!**  
Inox & Flat Glass



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 65X32X55

> **Optional Features**

- Carbon Filter Set class energy
- 90 cm Width
- 2x5 Watt Led Lamps
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt +5 Speed+C class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> **Color Options**

- Inox, Black, White

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD22**  
Inox & Curved Glass



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Electronic Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 65X43X62

> **Optional Features**

- Carbon Filter Set class energy
- 90 cm Width
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed Motor+C class energy

> **Color Options**

- Inox, Black, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**LD22 ECO**  
Inox & Curved Glass



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Push Button Control
- 3 Speed
- 1x5 W LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 65X32X55

> **Optional Features**

- 90 cm Width
- Carbon Filter Set class energy
- Fume Black Curve Glass
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy
- 2x5 Watt LED Lamps

> **Color Options**

- Inox, Black, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**LD22 ECO-90**  
Inox & Curved Glass



> **Main Features**

- 90 cm Wall-type Chimney Hood
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dB-max 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 95X32X55

> **Optional Features**

- 60 cm Width
- Carbon Filter Set class energy
- Fume Black Curve Glass
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy
- 2x5 Watt LED Lamps

> **Color Options**

- Inox, Black, White

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD22-03B TOUCH**  
Inox & Black + Fume Glass



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Touch Control
- 3 Speed
- 2x1 Watt Mini Led Spot
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Auto Shut Down Timer
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 65X43X62

> **Optional Features**

- Carbon Filter Set class energy
- 90 cm Width
- Remote Control
- 400 m<sup>3</sup>/h-110 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> **Color Options**

- Inox, Black, White





550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



## LD22-03W TOUCH

Inox & White Glass



### > Main Features

- 60 cm Wall-type Chimney Hood
- Touch Control
- 3 Speed
- 2x1 Watt Mini Led Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Auto Shut Down Timer
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 65X43X62

### > Optional Features

- Carbon Filter Set
- 90 cm Width
- Remote Control
- 400 m<sup>3</sup>/h-110 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

### > Color Options

- Inox, Black, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



## SD61 BW

Beige & Neutral Wood Frames



### > Main Features

- 60 cm Wall-type Chimney Hood
- Rustic Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 62X59X57
- Plastic Lamp cover

### > Optional Features

- Carbon Filter Set
- 90 cm Width
- 2x5 Watt Led Lamps
- 2x2 Watt Led Spots
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

### > Color Options

- Black, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



## SD61 SW

Black & Neutral Wood Frames



### > Main Features

- 60 cm Wall-type Chimney Hood
- Rustic Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 62X59X57
- Plastic Lamp cover

### > Optional Features

- Carbon Filter Set
- 90 cm Width
- 2x5 Watt Led Lamps
- 2x2 Watt Led Spots
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

### > Color Options

- Black, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



## SD64 NEW!

Beige & Rustic Frame



### > Main Features

- 60 cm Wall-type Chimney Hood
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dB- max 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 65X32X55
- Plastic Lamp cover

### > Optional Features

- Carbon Filter Set
- 90 cm Width
- 2x5 Watt Led Lamps
- 2x2 Watt Led Spots
- Rustic Handle
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

### > Color Options

- Black, White, Beige

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



## SD64B

Black & Aluminum Frame

NEW!



### > Main Features

- 60 cm Wall-type Chimney Hood
- Rustic Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>-110 Watt
- Package Dimensions (WxDxH): 65X32X55
- Plastic Lamp cover

### > Optional Features

- Carbon Filter Set
- 90 cm Width
- 2x5 Watt Led Lamps
- 2x2 Watt Led Spots
- Rustic Handle
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

### > Color Options

- Black, White, Beige

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



## SD56 BGR

Beige & Rustic Handle



### > Main Features

- 60 cm Wall-type Chimney Hood
- Rustic Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Double Chimney
- Rustic Handle
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>-110 Watt
- Package Dimensions (WxDxH): 65X24,5X50

### > Optional Features

- 90 cm Width
- Carbon Filter Set

### > Color Options

- Black, Beige, White

### > Handle Options

- Gold, Bronze, Silver

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



## SD56 BLR

Black & Rustic Handle



### > Main Features

- 60 cm Wall-type Chimney Hood
- Rustic Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Double Chimney
- Rustic Handle
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>-110 Watt
- Package Dimensions (WxDxH): 65X24,5X50

### > Optional Features

- 90 cm Width
- Carbon Filter Set

### > Color Options

- Black, Beige, White

### > Handle Options

- Gold, Bronze, Silver



550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**SD59**  
Inox



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Electronic Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 65X32X55

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- 5 Speed
- 2x5 Watt Led Lamps
- 2x2 Watt Led Spots
- Rustic Handle
- 400 m<sup>3</sup>/h-110 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> **Color Options**

- Black, Grey, Brown, White

[www.proff.com.tr](http://www.proff.com.tr)

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**SD54**  
Inox



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 65X32X55

> **Optional Features**

- Carbon Filter Set
- 90 cm Width
- 2x5 Watt Led Lamps
- 2x2 Watt Led Spots
- Rustic Push Button
- Rustic Handle
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+ C class energy

> **Color Options**

- Black, Grey, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**SD56**  
Inox



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 65X24,5X50

> **Optional Features**

- 90 cm Width
- Carbon Filter Set
- Rustic Push Button
- Rustic Handle

> **Color Options**

- Black, Grey, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**SD56-90** **NEW!**  
Inox



> **Main Features**

- 90 cm Wall-type Chimney Hood
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dB-max 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 95X24,5X50

> **Optional Features**

- 60 cm Width
- Carbon Filter Set
- Rustic Push Button
- Rustic Handle

> **Color Options**

- Black, Grey, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**SD56B**  
Black



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 65X24,5X50

> **Optional Features**

- 90 cm Width
- Carbon Filter Set
- Rustic Push Button
- Rustic Handle

> **Color Options**

- Black, Beige, White, Grey

> **Handle Options**

- Gold, Bronze, Silver

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**SD56 WH**  
White



> **Main Features**

- 60 cm Wall-type Chimney Hood
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Double Chimney
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 65X24,5X50

> **Optional Features**

- 90 cm Width
- Carbon Filter Set
- Rustic Push Button
- Rustic Handle

> **Color Options**

- Black, Beige, White, Grey

> **Handle Options**

- Gold, Bronze, Silver

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD33PB**  
Corner & Black



> **Main Features**

- 90 cm Corner-Type Hood
- Push Button Control
- 3 Speed
- 3x2 W LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 107X44X107

> **Optional Features**

- Carbon Filter Set class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> **Color Options**

- Black, Inox

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LD33**  
Corner & Inox



> **Main Features**

- 90 cm Corner-type Hood
- Electronic Control
- 3 Speed
- 3x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 107X44X107

> **Optional Features**

- Carbon Filter Set class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+5 Speed+C class energy

> **Color Options**

- Black, Inox



850 m<sup>3</sup>/h 5 200W  
Free Flow Extraction Speed Motor Power



**LDI49**  
Island & Black Glass



> **Main Features**

- 90 cm Island-type Inclined Hood
- Double Side Touch Control
- 5 Speed
- 3x2 Watt Black Led Spot
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Indicator
- Auto Shut Down Timer
- Piston Hinge
- Noise Level: min 41dBmax 68dB
- DIN EN 61591 min 225m<sup>3</sup>/h-max 700m<sup>3</sup>/h
- Energy Class: C
- Free Flow Extraction Power: 850 m<sup>3</sup>/h-200 Watt
- Package Dimensions (WxDxH): 98X71X62

> **Optional Features**

- Carbon Filter Set
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- Remote Control

850 m<sup>3</sup>/h 5 200W  
Free Flow Extraction Speed Motor Power



**LDI35 GL**  
Island/Inox+Black



> **Main Features**

- 90 cm Island-type Hood
- Double Side Electronic Control
- 5 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 41dBmax 68dB
- DIN EN 61591 min 225m<sup>3</sup>/h-max 700m<sup>3</sup>/h
- Energy Class: C
- Free Flow Extraction Power: 850 m<sup>3</sup>/h-200 Watt
- Package Dimensions (WxDxH): 98X71X60

> **Optional Features**

- Carbon Filter Set
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy

550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



**LDI35**  
Island & Inox



> **Main Features**

- 90 cm Island-type Hood
- Push Button Control
- 3 Speed
- Cassette Type Dishwasher Safe Aluminum Filters
- 2x2 Watt LED Spots
- 150 mm Air Outlet
- Double Chimney
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 210m<sup>3</sup>/hmax:455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h-140 Watt
- Package Dimensions (WxDxH): 98X71X62

> **Optional Features**

- Carbon Filter Set
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

850 m<sup>3</sup>/h 5 200W  
Free Flow Extraction Speed Motor Power



## LDI21

Island & Inox + Flat Glass



### > Main Features

- 90 cm Island-type Hood
- Double Side Electronic Control
- 5 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 41dBmax 68dB
- DIN EN 61591 min 225m<sup>3</sup>/h-max 700m<sup>3</sup>/h
- Energy Class: C
- Free Flow Extraction Power: 850 m<sup>3</sup>/h-200 Watt
- Package Dimensions (WxDxH): 98X71X62

### > Optional Features

- Carbon Filter Set
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy

850 m<sup>3</sup>/h 5 200W  
Free Flow Extraction Speed Motor Power



## LDI22

Island & Inox + Glass



### > Main Features

- 90 cm Island-type Hood
- Double Side Electronic Control
- 5 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 41dBmax 68dB
- DIN EN 61591 min 225m<sup>3</sup>/h-max 700m<sup>3</sup>/h
- Energy Class: C
- Free Flow Extraction Power: 850 m<sup>3</sup>/h-200 Watt
- Package Dimensions (WxDxH): 98X71X62

### > Optional Features

- Carbon Filter Set
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy

850 m<sup>3</sup>/h 5 200W  
Free Flow Extraction Speed Motor Power



## LDI24

Island & Inox



### > Main Features

- 90 cm Island-type Hood
- Double Side Electronic Control
- 5 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 41dBmax 68dB
- DIN EN 61591 min 225m<sup>3</sup>/h-max 700m<sup>3</sup>/h
- Energy Class: C
- Free Flow Extraction Power: 850 m<sup>3</sup>/h-200 Watt
- Package Dimensions (WxDxH): 98X71X62

### > Optional Features

- Carbon Filter Set
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy

850 m<sup>3</sup>/h 5 200W  
Free Flow Extraction Speed Motor Power



## LDI23

Island & Inox



### > Main Features

- 90 cm Island-type Hood
- Double Side Electronic Control
- 5 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 41dBmax 68dB
- DIN EN 61591 min 225m<sup>3</sup>/h-max 700m<sup>3</sup>/h
- Energy Class: C
- Free Flow Extraction Power: 850 m<sup>3</sup>/h-200 Watt
- Package Dimensions (WxDxH): 98X71X62

### > Optional Features

- Carbon Filter Set
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy

850 m<sup>3</sup>/h 5 200W  
Free Flow Extraction Speed Motor Power



## LDI36

Island & Inox



### > Main Features

- 90 cm Island-type Hood
- Double Side Touch Control
- 5 Speed
- Cassette Type Dishwasher Safe Aluminum Filters
- 4x2 Watt LED spots
- 150 mm Air Outlet
- Double Chimney
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 41dBmax 68dB
- DIN EN 61591 min 225m<sup>3</sup>/h-max 700m<sup>3</sup>/h
- Energy Class: C
- Free Flow Extraction Power: 850 m<sup>3</sup>/h-200 Watt
- Package Dimensions (WxDxH): 98X71X62

### > Optional Features

- Carbon Filter Set
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- Remote Control





400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



GD82B  
Black



> Main Features

- 82 cm Built-in Chimney Hood
- Push Button Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min
- 55dBmax 61dB
- DIN EN 61591 min
- 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 86X32X34

> Optional Features

- Carbon Filter Set class energy
- Rustic Push Button 750m<sup>3</sup>/h-210 Watt + B class energy
- 52 cm Width
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> Color Options

- Black, Grey, Inox, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



GD82X  
Inox



> Main Features

- 82 cm Built-in Chimney Hood
- Push Button Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min
- 55dBmax 61dB
- DIN EN 61591 min
- 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 86X32X34

> Optional Features

- Carbon Filter Set class energy
- Rustic Push Button 750m<sup>3</sup>/h-210 Watt + B class energy
- 52 cm Width
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> Color Options

- Black, Grey, Inox, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



GD52X  
Inox **NEW!**



> Main Features

- 52 cm Built-in Chimney Hood
- Push Button Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Noise Level: min
- 55dBmax 61dB
- DIN EN 61591 min
- 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 56X32X34

> Optional Features

- Carbon Filter Set class energy
- Rustic Push Button 750m<sup>3</sup>/h-210 Watt + B class energy
- 82 cm Width
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> Color Options

- Black, Grey, Inox, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



GD52B  
Black **NEW!**



> Main Features

- 52 cm Built-in Chimney Hood
- Push Button Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Noise Level: min
- 55dBmax 61dB
- DIN EN 61591 min
- 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 56X32X34

> Optional Features

- Carbon Filter Set class energy
- Rustic Push Button 750m<sup>3</sup>/h-210 Watt + B class energy
- 82 cm Width
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> Color Options

- Black, Grey, Inox, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**GD52W** **NEW!**  
White



> **Main Features**

- 52 cm Built-in Chimney Hood
- Push Button Control
- 3 Speed
- 2x2 Watt LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 56X32X34

> **Optional Features**

- Carbon Filter Set class energy
- Rustic Push Button class energy
- 82 cm Width
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> **Color Options**

- Black, Grey, Inox, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**GD52X-TOUCH** **NEW!**  
Inox



> **Main Features**

- 52 cm Built-in Chimney Hood
- Touch Control
- 3 Speed
- Auto Shut Down Timer
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Noise Level: min 55dB-max 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 280 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h-110 Watt
- Package Dimensions (WxDxH): 56X32X34

> **Optional Features**

- Carbon Filter Set class energy
- 82 cm Width
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> **Color Options**

- Black, Grey, Inox, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**GD52W-TOUCH** **NEW!**  
White



> **Main Features**

- 52 cm Built-in Chimney Hood
- Touch Control
- 3 Speed
- Auto Shut Down Timer
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Auto Shut Down Timer
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 56X32X34

> **Optional Features**

- Carbon Filter Set class energy
- 82 cm Width
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> **Color Options**

- Black, Grey, Inox, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**GD52B-TOUCH** **NEW!**  
Black



> **Main Features**

- 52 cm Built-in Chimney Hood
- Touch Control
- 3 Speed
- Auto Shut Down Timer
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe Aluminum Filter
- 120 mm Air Outlet
- Auto Shut Down Timer
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400m<sup>3</sup>/-110 Watt
- Package Dimensions (WxDxH): 56X32X34

> **Optional Features**

- Carbon Filter Set class energy
- 82 cm Width
- 550 m<sup>3</sup>/h-140 Watt+D class energy
- 700m<sup>3</sup>/h-210 Watt + A class energy
- 750m<sup>3</sup>/h-210 Watt + B class energy
- 850 m<sup>3</sup>/h-200 Watt+C class energy

> **Color Options**

- Black, Grey, Inox, Beige, White



280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**5501XCH** **NEW!**  
Inox & Chimney



#### > Main Features

- 60 cm Free Standing Cooker Hood
- 1 motor-110 w
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Double Chimney
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X16,6X51
- Recirculation

#### > Optional Features

- Carbon Filter Set
- 50-70-80-90 cm Width
- 2x5 Watt LED Lamps
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- 2 Holes (Back&Top )
- Glass Visor

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**5501X**  
Inox



#### > Main Features

- 60 cm Free Standing Cooker Hood
- 1 motor-110 w
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X16,6X51
- Recirculation

#### > Optional Features

- Carbon Filter Set
- 50-70-80-90 cm Width
- 2x5 Watt LED Lamps
- 2 Holes (Back&Top )
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- 2 Holes (Back&Top )
- Glass Visor

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



**5502X-90**  
Inox



#### > Main Features

- 90 cm Free Standing Cooker Hood
- 2 motor-90 w
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- 120 mm Air Outlet
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 91,5X16,6X51

#### > Optional Features

- Recirculation
- Carbon Filter Set
- 50-60-70-80 cm Width
- 2x5 Watt LED Lamps
- 280 m<sup>3</sup>/h-1x110 Watt Class Energy
- 2 Holes (Back&Top )
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- Glass Visor

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

450 m<sup>3</sup>/h 3 2 x 90W  
Free Flow Extraction Speed Motor Power



**5502B-90**  
Black & Glass Visor



#### > Main Features

- 90 cm Free Standing Cooker Hood
- 2 motor-90 w
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 91,5X16,6X51
- Glass Visor

#### > Optional Features

- Recirculation
- Carbon Filter Set
- 50-60-70-80 cm Width
- 2x5 Watt LED Lamps
- 280 m<sup>3</sup>/h-1x110 Watt Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- 2 Holes (Back&Top )

#### > Color Options

- Black, Grey, Inox, Beige, White

280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**5501W**  
White



#### > Main Features

- 60 cm Free Standing Cooker Hood
- 1 motor-110 w
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X16,6X51
- Recirculation

#### > Optional Features

- Carbon Filter Set
- 50-70-80-90 cm Width
- 2x5 Watt LED Lamps
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- 2 Holes (Back&Top )
- Glass Visor

#### > Color Options

- Black, Grey, Inox, Beige, White

280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



**5501BG**  
Beige



#### > Main Features

- 60 cm Free Standing Cooker Hood
- 1 motor-110 w
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X16,6X51
- Recirculation

#### > Optional Features

- Carbon Filter Set
- 50-70-80-90 cm Width
- 2x5 Watt LED Lamps
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- 2 Holes (Back&Top )
- Glass Visor

#### > Color Options

- Black, Grey, Inox, Beige, White



280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



5501BR  
Brown



280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



4500X  
Inox



280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



4500W  
White



280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



4500X-DIGITAL  
Inox



Remote Control

#### > Main Features

- 60 cm Free Standing Cooker Hood
- 1 motor-110 w
- Push Button Control
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X51
- Recirculation

#### > Optional Features

- Carbon Filter Set
- 50-70-80-90 cm Width
- 2x5 Watt LED Lamps
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- 2 Holes (Back&Top)
- Glass Visor

#### > Color Options

- Black, Grey, Inox, Beige, White

#### > Main Features

- 60 cm Free Standing Cooker Hood
- 1 motor\*110w
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X50
- FRONT INOX-REST SILVER
- Recirculation

#### > Optional Features

- Carbon Filter Set
- 90 cm Width
- 2 Holes (Back&Top)
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy

#### > Color Options

- Black, Grey, Inox, Beige, White

#### > Main Features

- 60 cm Free Standing Cooker Hood
- 1 motor\*110w
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X50
- FRONT INOX-REST SILVER
- Recirculation

#### > Optional Features

- Carbon Filter Set
- 90 cm Width
- 2 Holes (Back&Top)
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy

#### > Color Options

- Black, Grey, Inox, Beige, White

#### > Main Features

- 60 cm Free Standing Cooker Hood
- 1 motor\*110w
- Digital Control
- Remote Control
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X50
- Recirculation

#### > Optional Features

- Carbon Filter Set
- 90 cm Width
- 2 Holes (Back&Top)
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy

#### > Color Options

- Black, Grey, Inox, Beige, White



450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



4500X-90  
Inox



#### > Main Features

- 90 cm Free Standing Cooker Hood
- 2 motor-90 w
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- FRONT INOX-REST SILVER
- Package Dimensions (WxDxH): 91,5X18,5X50

#### > Optional Features

- Carbon Filter Set
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- 60 cm Width
- 2 Holes (Back&Top)

#### > Color Options

- Black, Grey, Inox, Beige, White

280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



3500X  
Inox



#### > Main Features

- 60 cm Free Standing Cooker Hood
- 1 motor-110 w
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Recirculation
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X50

#### > Optional Features

- Carbon Filter Set
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- Class Energy
- 90 cm Width

#### > Color Options

- Black, Grey, Inox, Beige, White

280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



3500W  
White



#### > Main Features

- 60 cm Free Standing Cooker Hood
- 1 motor-110 w
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Recirculation
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X50

#### > Optional Features

- Carbon Filter Set
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- Class Energy
- 90 cm Width

#### > Color Options

- Black, Grey, Inox, Beige, White

280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



3500X-90  
Inox



#### > Main Features

- 90 cm Free Standing Cooker Hood
- 1 motor-110 w
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Recirculation
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 91,5X18,5X50

#### > Optional Features

- Carbon Filter Set
- 450 m<sup>3</sup>/h-2x90 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- Class Energy
- 60 cm Width

#### > Color Options

- Black, Grey, Inox, Beige, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



NEW!

5700-03  
Black Frame & Black Glass



#### > Main Features

- 60 cm Free Standing Cooker Hood
- 1 motor\*110w Blower Motor
- Touch Control
- 3 Speed
- 2x2 Watt Led Spots
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Filter Saturation Indicator
- Auto Shut Down Timer
- Noise Level: min 55dBmax 61dB
- DIN EN 61591: min 125 m<sup>3</sup>/h-max 280 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18X51

#### > Optional Features

- Carbon Filter Set
- 90 cm Width
- Push Buttons

#### > Color Options

- Black, Gray, Inox



450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



## 7062X-90

Inox



### > Main Features

- 90 cm Built in Telescopic Cooker Hood
- Inox
- 2 motors\*90w
- Mini Control Buttons
- 3 Speed
- 2x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe 4 Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 91,5X18,5X38

### > Optional Features

- Carbon Filter Set
- 50,60 cm Width
- Rustic Handle
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- 2x2 Watt LED Spot

### > Color Options

- Black, Grey, Inox, Beige, Brown, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



## 6064-03-90

Black Glass **NEW!**



### > Main Features

- 90 cm Built in Telescopic Cooker Hood
- 1 motor\*110w Blower Motor
- Touch Control
- 3 Speed
- Auto Shut Down Timer
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe
- Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 55dB-max 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 91,5X18,5X38

### > Optional Features

- Carbon Filter Set
- 50, 60 cm Width

### > Color Options

- Black, Grey, Inox, Beige, Brown, White

### > Glass Color Options

- Black, Grey, Inox, Beige, Brown, White

400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



## 6064-03

Black Glass



### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- 1 motor\*110w Blower Motor
- Touch Control
- Auto Shut Down Timer
- 3 Speed
- 2x1 Watt Mini LED Spots
- Cassette Type Dishwasher Safe
- Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

### > Optional Features

- Carbon Filter Set
- 50, 90 cm Width

### > Color Options

- Black, Grey, White

### > Glass Color Options

- Black, White



450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



7062GL-W  
White Glass



450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



7062GL-B  
Black Glass



450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



7062GL-BG  
Beige Glass



450 m<sup>3</sup>/h 2 2x90W  
Free Flow Extraction Speed Motor Power




7062X-50  
Inox



550 m<sup>3</sup>/h 3 140W  
Free Flow Extraction Speed Motor Power



9064X  
Inox & Big Case



400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



6064X  
Inox



#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- Mini Control Buttons
- 2 motors\*90 w
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

#### > Optional Features

- Carbon Filter Set
- 50, 90 cm Width
- 2x5 Watt LED Lamps
- 2x2 Watt LED Spots
- 520m<sup>3</sup>/h-2x110 Watt +D Class Energy

#### > Glass Colors

- Black, Grey, Beige, Brown, White

#### > Color Options

- Black, Grey, Beige, Brown, White

#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- Mini Control Buttons
- 2 motors\*90 w
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

#### > Optional Features

- Carbon Filter Set
- 50, 90 cm Width
- 2x5 Watt LED Lamps
- 2x2 Watt LED Spots
- 520m<sup>3</sup>/h-2x110 Watt +D Class Energy

#### > Glass Colors

- Black, Grey, Beige, Brown, White

#### > Color Options

- Black, Grey, Beige, Brown, White

#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- Mini Control Buttons
- 2 motors\*90 w
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

#### > Optional Features

- Carbon Filter Set
- 50, 90 cm Width
- 2x5 Watt LED Lamps
- 2x2 Watt LED Spots
- 520m<sup>3</sup>/h-2x110 Watt +D Class Energy

#### > Glass Colors

- Black, Grey, Beige, Brown, White

#### > Color Options

- Black, Grey, Beige, Brown, White

#### > Main Features

- 50 cm Built in Telescopic Cooker Hood
- 2 motors\*90w
- Mini Control Buttons
- 2 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 51x19x39

#### > Optional Features

- Carbon Filter Set
- Rustic Handle
- 60,90 cm Width
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- 2x5 Watt LED Lamp
- 2x2 Watt LED Spot

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- 1 motor\*140w Big Blower Motor
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Noise Level: min 44dBmax 64dB
- DIN EN 61591 min 210m<sup>3</sup>/h-max 455m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 550 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 63X32X36

#### > Optional Features

- Carbon Filter Set
- 50, 90 cm Width
- Touch Control+2x1 Watt Mini LED Spots
- 2x5 Watt LED Lamps
- 2x2 Watt LED Spots
- Rustic Handle
- 700m<sup>3</sup>/h-210 Watt Maxi Blower Motor+ A Class Energy
- 750m<sup>3</sup>/h-210 Watt Big Blower Motor+ B Class Energy
- 850m<sup>3</sup>/h-200 Watt Big Blower Motor+ C Class Energy

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- 1 motor\*110w Blower Motor
- Mini Control Buttons
- 3 Speed
- 1x2 Watt LINEAR LED Lamps
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

#### > Optional Features

- Carbon Filter Set
- 50, 90 cm Width
- 2x2 Watt LED Spots
- Rustic Handle
- 500m<sup>3</sup>/h-95 Watt Blower Motor+ D Class Energy

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

850 m<sup>3</sup>/h 3 200W  
Free Flow Extraction Speed Motor Power



9074X  
Inox & Big Case



400 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



6064W  
White



450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



8080GL-B  
Inox Frame & Black Glass



450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



8080GL-W  
Inox Frame & White Glass



450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



7062X  
Inox



450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



7062RB  
Rustic Beige



#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- 1 motor\*200w Big Blower Motor
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 150 mm Air Outlet
- Noise Level: min 41dBmax 68dB
- DIN EN 61591 min 225m<sup>3</sup>/h-max 700m<sup>3</sup>/h
- Energy Class: C
- Free Flow Extraction Power: 850 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 63X32X36

#### > Optional Features

- Carbon Filter Set
- 50, 90 cm Width
- Touch Control+2x1 Watt Mini LED Spots
- 2x5 Watt LED Lamps
- 2x2 Watt LED Spots
- Rustic Handle
- 700m<sup>3</sup>/h-210 Watt Maxi Blower Motor+ A Class Energy
- 750m<sup>3</sup>/h-210 Watt Big Blower Motor+ B Class Energy

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- 1 motor\*110w Blower Motor
- Mini Control Buttons
- 3 Speed
- 1x2 Watt LINEAR LED Lamps
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 55dBmax 61dB
- DIN EN 61591 min 125m<sup>3</sup>/h-max 280m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 400 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

#### > Optional Features

- Carbon Filter Set
- 50, 90 cm Width
- 2x2 Watt LED Spots
- Rustic Handle

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- Mini Control Buttons
- 2 motors\*90 w
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

#### > Optional Features

- Carbon Filter Set
- 50 cm Width
- 2x5 Watt LED Lamps
- 2x2 Watt LED Spots
- 280m<sup>3</sup>/h-1x110 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy

#### > Glass Colors

- Black, Grey, Beige, Brown, White

#### > Color Options

- Black, Grey, Beige, Brown, White

#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- 2x90 W Motor
- Mini Control Buttons
- 3 Speed
- 1x5 W LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

#### > Optional Features

- Carbon Filter Set
- 50 cm Width
- 2x5 Watt LED Lamps
- 2x2 Watt LED Spots
- 280m<sup>3</sup>/h-1x110 Watt+ D Class Energy
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy

#### > Glass Colors

- Black, Grey, Beige, Brown, White

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- 2 motors\*90 w
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

#### > Optional Features

- Carbon Filter Set
- Rustic Handle
- 50,90 cm Width
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- 2x5 Watt LED Lamp
- 2x2 Watt LED Spot

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- 2Motor\*90w
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h
- Energy Class: D
- Rustic Handle
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 62X30X34

#### > Optional Features

- Carbon Filter Set
- 50, 90 cm Width
- 520m<sup>3</sup>/h-2x110 Watt+ D Class Energy
- 2x5 Watt LED Lamp
- 2x2 Watt LED Spot

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

#### > Handle Options

- Gold, Bronze, Silver

450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



7062BR  
Brown



#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- 2 motor\*90w Blower Motor
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h)
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

#### > Optional Features

- Carbon Filter Set
- Rustic Handle
- 50,90 cm Width
- 520m<sup>3</sup>/h-2x110 Watt+ D
- Class Energy
- 2x5 Watt LED Lamp
- 2x2 Watt LED Spot

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

450 m<sup>3</sup>/h 3 2x90W  
Free Flow Extraction Speed Motor Power



7062W  
White



#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- Mini Control Buttons
- 2 motors\*90 w
- 3 Speed
- 1x5 Watt LED Lamp
- Lamp Cover
- Cassette Type Dishwasher Safe Aluminum Filters
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN EN 61591: min 135 m<sup>3</sup>/h-max 300 m<sup>3</sup>/h)
- Energy Class: D
- Free Flow Extraction Power: 450 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

#### > Optional Features

- Carbon Filter Set
- Rustic Handle
- 50,90 cm Width
- 520m<sup>3</sup>/h-2x110 Watt+ D
- Class Energy
- 2x5 Watt LED Lamp
- 2x2 Watt LED Spot

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White

280 m<sup>3</sup>/h 3 110W  
Free Flow Extraction Speed Motor Power



6021W  
White + Transparent Glass



#### > Main Features

- 60 cm Built in Telescopic Cooker Hood
- Plastic White Front Panel
- 1 motor\*110w
- Mini Control Buttons
- 3 Speed
- 1x5 Watt LED Lamp
- Plastic Transparent Lamp Cover
- Cassette Type Dishwasher Safe
- Aluminum Filter
- 120 mm Air Outlet
- Noise Level: min 49dBmax 61dB
- DIN IEC 61591: min 125 m<sup>3</sup>/h-max 240 m<sup>3</sup>/h
- Energy Class: D
- Free Flow Extraction Power: 280 m<sup>3</sup>/h
- Package Dimensions (WxDxH): 61,5X18,5X31,8

#### > Optional Features

- Carbon Filter Set
- 2x5 Watt LED Lamps
- 450m<sup>3</sup>/h-2\*90 Watt+D
- Class Energy

#### > Color Options

- Black, Grey, Inox, Beige, Brown, White



## Washing Machines & Dryer

Our washing machines are designed for the daily requirements of a family.

Equipped with a big drum accommodating from 6 kg to 9 kg of linen and numerous functions, they are designed to satisfy all the needs for wash, including the most delicate such as the baby clothes via the intensive washings.

Inside, washing and drying;  
Outside, color and aesthetic..



9 kg + 6 kg  
Wash + Dry

1400  
rpm

15  
Program



**WDR9614**  
Washer Dryer & Burgundy Red

> **Main Features**

- Maximum Load Capacity: 9 kg washing & 6 kg drying
- Spin Speed (rpm): 1400
- 15 Programs
- Electronic Control Type
- Child Lock
- Burgundy Red

6 kg  
Capacity

800  
rpm

15  
Program



**WMG680**  
Silver

> **Main Features**

- Maximum Load Capacity: 6 kg
- Spin Speed (rpm): 800
- 15 Programs
- Electronic Control Type
- Child Lock
- Silver

> **Optional Features**

- 5kg 800 rpm
- 7kg 1000 rpm
- 8kg 1200 rpm
- 9kg 1400 rpm
- White color

5 kg  
Capacity

800  
rpm

15  
Program



**WMW580**  
Black

> **Main Features**

- Maximum Load Capacity: 5 kg
- Spin Speed (rpm): 800
- 15 Programs
- Electronic Control Type
- Child Lock
- Black

> **Optional Features**

- White, Silver Color



8 kg  
Capacity

15  
Program



## TDC8100

Dryer Dark Silver

NEW!

### > Main Features

- DRYER
- 8kg
- 112L Condenser Tumble Dryer
- 15 Programs
- 220-240V ~ 50HZ
- Child Lock
- Sensor Drying System
- Two Way Tumbling
- Failure Detection System
- Drying cycle indicator
- Packed dimensions (Shrink) (HxWxD) (mm): 881x641x638
- Packed dimensions (Carton) (HxWxD) (mm): 890x655x662



## Built In Dishwashers

INNOVATION , TECHNOLOGY and DESIGN these are our ambitions to be in the service of YOUR COMFORT.

Dishwashers of PROFF present, a perfectly cleaning performance with the optimal rhythm and a longlasting life with the modern design that know to seduce most aesthetic and the most demanding.



12 6 49dB (A)  
Place Settings Programs Noise Level



**FSDW156** **NEW!**  
Free Standing

> Main Features

- 60 cm Built-in Dishwasher
- 12/15 Place Settings
- 6 Programs, 6 temperatures
- Child Lock
- Delay Timer
- Washing Cycle Indicators
- 9 lt water consumption
- Extra Dry Option
- Overflow and leakage protection
- Full Electronic Control Type
- Heater Protection
- Rinse-aid & Salt Indicator
- 49 dB (A)
- Silver
- Dimensions: 59.6 x 57.3 x 82 cm

12 6 52dB (A)  
Place Settings Programs Noise Level



**SIDW126**  
Semi Integrated & Inox Panel

> Main Features

- 60 cm Built-in Dishwasher
- 12 Place Settings
- 6 Programs, 4 temperatures
- Prewash
- Delay timer (3-6-9-12 hr)
- 12 lt water consumption
- Full Electronic Control Type
- Heater Protection
- Rinse-aid & Salt Indicator
- 52 dB (A)
- Inox Panel
- Dimensions (WxDxH): 59.6x57.3x82 cm

15 7 44dB (A)  
Place Settings Programs Noise Level



**SD156** **NEW!**  
Semi Integrated & Inox Add-on + Dark Silver Control Panel

> Main Features

- 60 cm Built-in Dishwasher
- 15 Place Settings
- Third Rack
- 7 Programs, 5 Temperatures
- Full Touch Control Type
- Electrical Diverter system
- Heater Protection
- Overflow and leakage protection
- 44 dB(A)
- Rinse-aid & Salt Indicator
- Inox Add-on + Dark Silver control panel
- Dimensions (WxDxH): 85.1 x 64.4 x 66.1 cm

12 6 52dB (A)  
Place Settings Programs Noise Level



**FBDW124**  
Full Integrated

> Main Features

- 60 cm Built-in Dishwasher
- 12 Place Settings
- 4 Programs, 2 Temperatures
- 12 lt water consumption
- Full Electronic Control Type
- Heater Protection
- Overflow and leakage protection
- 52 dB(A)
- Rinse-aid & Salt Indicator
- Silver control panel
- Dimensions (WxDxH): 59.6x55x82 cm

10 4 57dB (A)  
Place Settings Programs Noise Level



**FBDW124-45** **NEW!**  
Full Integrated

> Main Features

- 45 cm Built-in Dishwasher
- 10 Place Settings
- 4 Programs
- Knob Control
- Heater Protection
- Overflow and leakage protection
- 57 dB(A)
- Rinse-aid & Salt Indicator
- Dark Silver control panel
- Dimensions (WxDxH): 44,8x55x82 cm



Preserves **fresh** and **tasty**



## Refrigerators & Freezers

Our refrigerators & freezers satisfy the consumers with special functions such as keeping your stuff at the cool, freeze level required or storing each food in ideal conditions. You will still find your fruits and vegetables, as crisp and fresh as you purchase them at the market

## Side by Side

Built-in Larder and Freezer



BRF230

BRL300

235 lt  
Gross Litre

216  
Net Litre

2  
Door



### BRC235A+

Built-In Combi

#### > Main Features

- Built in Combi refrigerator
- Niche 1780mm
- Built In Frost Free Combi
- Niche 1780 mm
- Sliding Door
- DOD Reversible Doors Fridge
- 3 Removable Shelves
- Safety Glass Shelves
- 1 Glass Shelf over Crisper
- 1 Crisper Automatic Defrosting
- Gross / Net Volume: 235 lt / 216 lt
- Net Fridge / Freezer Volume: 158 lt / 58 lt
- 1 Dairy Rack
- 1 Egg Holder
- 2 Transparent Shelves
- 1 Bottle Shelf
- Freezer
- Automatic Defrosting Freezer
- 3 Freezer Compartments
- 1 Ice Box
- Product Dimensions (HxWxD): 1770 x 540 x 545 mm

221  
Gross Litre

197  
Net Litre

1  
Door



### BRF230

Built-in Freezer Single Door

NEW!

#### > Main Features

- Built-in Freezer Single Door
- Sliding door
- Door on Door
- Reversible doors
- Gross / Net Volume: 221 lt / 197 lt
- Push Button HP Display
- Nofrost
- 6 Freezer Baskets
- 2 Flaps
- LED Lighting
- Product Dimensions (HxWxD): 1770 x 540 x 545 mm

303 lt  
Gross Litre

300  
Net Litre

1  
Door



### BRL300

Built-In Larder Single Door

NEW!

#### > Main Features

- Built-in Larder Single Door
- Sliding door
- Door on Door
- Reversible doors
- Gross / Net Volume: 303 lt / 300 lt
- Push Button HP Display
- Turbo Fan Air Cooling
- Air Duct
- Safety Glass Shelves
- Glass Shelf on Crisper
- Crispers
- Humidity Controller
- Dairy Rack
- Egg Holder
- Transparent shelves
- Bottle Shelf
- Product Dimensions (HxWxD): 1770 x 540 x 545 mm

341  
Gross Litre

331  
Net Litre

2  
Door



**R60341WDX**  
Combi

> Main Features

- Refrigerator 60 cm Combi
- With Wine Rack
- Ice Tray and Ice Maker
- Natural Ion Tech
- Magic Box
- Tropical Climate Class
- R600
- Water Dispenser
- Inox
- Handle Between 2 Doors

> Optional Features

- 60 Cm-Combi Free Standing
- Water Dispenser
- Icematic
- Integrated Handle
- White Color

510  
Gross Litre

481  
Net Litre

2  
Door



**R70389WDX**  
Combi

> Main Features

- Refrigerator 70 cm Combi
- With Wine Rack
- Ice Tray and Ice Maker
- Tropical Climate Class
- R600
- Water Dispenser
- Inox
- Handle Between 2 Doors

> Optional Features

- 60 Cm-Combi Free Standing
- Water Dispenser
- Icematic
- Integrated Handle
- White Color

625  
Gross Litre

587  
Net Litre

2  
Door



**R84575DDX**  
Double Door

> Main Features

- Refrigerator 84 Cm Double Door
- Freezer Top
- 625 LT Total Volume
- With Wine Rack
- Ice Tray and Ice Maker
- Twisted or Sliding Ice Matic
- Digital Display
- Water Dispenser
- Tropical Climate Class
- R600
- Handle Type: Box
- Inox

> Optional Features

- 60 Cm-Combi Free Standing
- Water Dispenser
- Icematic
- Integrated Handle
- White Color

556  
Gross Litre

372  
Net Litre

2  
Door



**RSS 541XMIC**  
Double Door

**NEW!**

> Main Features

- Free Standing Double Door Refrigerator
- Side by side with automatic ice maker
- Mini Bar+ Closed Door
- Auto Defrost Technology
- 556 LT Total Volume
- Fast Freezer Function
- LED Lamp
- Water Dispenser
- 4x Drawer With Transparent Cover
- 7x Transparent Shelves
- Tropical Climate Class
- R600a
- Aluminium Handle
- Inox Door Sheet
- Product Dimensions (HxWxD): 1780 x 911 x 706 mm"

136  
Gross Litre

133  
Net Litre

1  
Door



**BRS170A**  
Built-In

> Main Features

- Built in refrigerator
- Niche 820 mm Door On Door Reversible Door
- 2 Removable Shelves
- 1 Glass Shelf over Crisper
- 1 Crisper
- Automatic Defrosting
- Spill Proof Safety Glass Shelves
- 1 Transparent Shelf
- 1 Egg Holder
- 1 Bottle Shelf
- Gross / Net Volume: 136 lt / 133 lt
- Product Dimensions (HxWxD): 818 x 595 x 548 mm

469      459      -24 C + 6 C  
Gross Litre    Net Litre      Dual Mode



## CH500XG

Chest Freezer & Dual Mode

**NEW!**

300      290      7  
Gross Litre    Net Litre      Drawers



## UF7DNFX

No-Frost Upright Freezer

**NEW!**

### > Main Features

- SN-T Climate Class
- Dual Mode (Fridge or Freezer)
- Aluminum Handle
- Silver Body and Inox Door Sheet
- R600a Refrigerant
- Led Ampule Light
- Lock
- Mechanical Thermostat
- Fast Freeze Function
- 2x Wire Basket
- Divider
- Water Drain System
- Scraper
- Shrink Packing
- Gross / Net Volume: 469 / 459 L.
- Net Dimensions (WxDxH): 149,2 x 74,25 x 84 cm

### > Optional Features

- PVC Coated Door Sheet
- White Painted Aluminum Inner Body
- Analog or Digital Thermometer
- 1x Ice Pack
- Wire Basket (Additional)
- Plastic Handle
- 4x Wheel (2x With Brake)

### > Main Features

- Dual Mode (Fridge or Freezer)
- No Frost Cooling Technology
- Electronic Cooling Control
- SN-T Climate Class
- Touch Control Display Panel on Door
- Silver Body and Inox Door Sheet
- R600a Refrigerant
- 1x XXL Drawer With Transparent Cover
- 4x Drawer With Transparent Cover
- 2x Transparent Flap
- Hotstamp Drawer Covers
- Reversible Door
- Door Opening Angle (135°)
- Door Open Alarm
- Fast Freezer Function
- High Temperature Alarm
- Adjustable Front Feet
- Aluminium Handle
- Serviceable Door Gasket
- Ice Tray
- 2x Wheel
- Carton Packing
- Gross / Net Volume: 300 / 290 L.
- Net Dimensions (WxDxH): 59,5 x 71 x 176 cm

### > Optional Features

- Easy Open Handle
- Ice Pack
- Led Lighting

# Kitchen Sinks & Faucets

Simple and well-designed at the same time, kitchen sinks and faucets compete in market and come up with all types of stylish forms.

1 mm 1,5  
Thickness Bowl



**GS5010B**  
Granit & Sahara Beige



> **Main Features**

- Measures of the kitchen sink
- Thickness
- Measurements of bowl
- Measures of the cabinet
- Finish
- Discharge
- Position of Drainer
- Material
- 50x100 cm
- 1 cm
- 330x420x215 / 150x340x175
- 60 cm
- Sahara
- Ø90
- Reversible
- Granite

> **Optional Features**

- Black

1 mm 2  
Thickness Bowl



**GS5016N**  
Granit & Black



> **Main Features**

- Measures of the kitchen sink
- Thickness
- Measurements of bowl
- Measures of the cabinet
- Finish:
- Discharge
- Position of Drainer
- Material
- 50x116 cm
- 1 cm
- 330x420x215 / 330x420x215
- 80 cm
- Nero
- Ø90
- Reversible
- Granite

> **Optional Features**

- Sahara Beige



0,80 mm 2 304 AISI  
Thickness Bowl Inox Type



**IS 316**  
Inox



> **Main Features**

- Measures of the kitchen sink
- Thickness
- Measurements of bowl
- Measures of the cabinet
- Finish
- Discharge
- Position of Drainer
- Material
- 50x116 cm
- 0,80
- 350x400x200 / 350x400x200
- 80 cm
- Polished/Linen/Microlinen
- Ø90
- Right drainer IS316R/Left drainer IS316L
- Stainless Steel

0,70 mm 2 304 AISI  
Thickness Bowl Inox Type



**IS 138**  
Inox



> **Main Features**

- Measures of the kitchen sink
- Thickness
- Measurements of bowl
- Measures of the cabinet
- Finish
- Discharge
- Position of Drainer
- Material
- 50x116 cm
- 0,70
- 350x400x165
- 80 cm
- Satin
- Ø90
- Reversible
- Stainless Steel

> **Optional Features**

- 0,60 mm thickness
- 0,50 mm thickness

0,60 mm 1,5 304 AISI  
Thickness Bowl Inox Type



**IS 318**  
Inox



> **Main Features**

- Measures of the kitchen sink
- Thickness
- Measurements of bowl
- Measures of the cabinet
- Finish:
- Discharge
- Position of Drainer
- Material
- 49x96 cm
- 0,60
- 340x410x160 / 160x300x130
- 60 cm
- Satin/Linen
- Ø90
- Reversible
- Stainless Steel

> **Optional Features**

- 0,70 mm thickness

0,60 mm Thickness  
2 Bowl  
304 AISI  
Inox Type



**IS 189**  
Inox



0,60 mm Thickness  
1 Bowl  
304 AISI  
Inox Type



**IS 143**  
Inox



0,60 mm Thickness  
1 Bowl  
304 AISI  
Inox Type



**IS 173**  
Inox



0,60 mm Thickness  
1 Bowl  
304 AISI  
Inox Type



**US 102**  
Undermount & Inox



0,60 mm Thickness  
1 Bowl  
304 AISI  
Inox Type



**RS 192**  
Inox



0,80 mm Thickness  
1 Bowl  
304 AISI  
Inox Type



**IS 149**  
Inox



> Main Features

- Measures of the kitchen sink
- Thickness
- Measurements of bowl
- Measures of the cabinet
- Finish
- Discharge
- Position of Drainer
- Material
- 43,5x78 cm
- 0,60
- 335x365x150
- 80 cm
- Satin/Linen
- Ø60 / Ø90
- Reversible
- Stainless Steel

> Main Features

- Measures of the kitchen sink
- Thickness
- Measurements of bowl
- Measures of the cabinet
- Finish:
- Discharge
- Position of Drainer
- Material
- 43,5x86 cm
- 0,60
- 377x342x165
- 50 cm
- Satin/Linen
- Ø60 / Ø90
- Reversible
- Stainless Steel

> Optional Features

- 0,70 mm thickness
- 0,50 mm thickness

> Main Features

- Measures of the kitchen sink
- Thickness
- Measurements of bowl
- Measures of the cabinet
- Finish
- Discharge
- Position of Drainer
- Material
- 50x79 cm
- 0,60
- 350x400x165
- 40 cm
- Satin/Linen
- Ø60 / Ø90
- Reversible
- Stainless Steel

> Optional Features

- 0,70 mm thickness
- 0,50 mm thickness

> Main Features

- Measures of the kitchen sink
- Thickness
- Measurements of bowl
- Measures of the cabinet
- Finish
- Discharge
- Position of Drainer
- Material
- 40x45 cm
- 0,60
- 400x450x180
- 50 cm
- Satin/Linen
- Ø60 / Ø90
- Reversible
- Stainless Steel

> Optional Features

- 0,50 mm thickness
- 0,40 mm thickness

> Main Features

- Measures of the kitchen sink
- Thickness
- Measurements of bowl
- Measures of the cabinet
- Finish
- Discharge
- Position of Drainer
- Material
- Ø43,5 cm
- 0,80
- Ø380x200
- 45 cm
- Polished/Linen
- Ø90
- Reversible
- Stainless Steel

> Main Features

- Measures of the kitchen sink
- Thickness
- Measurements of bowl
- Measures of the cabinet
- Finish:
- Discharge
- Position of Drainer
- Material
- 46x48 cm
- 0,80
- 360x390x180
- 40 cm
- Polished/Linen
- Ø90
- Reversible
- Stainless Steel

> Optional Features

- 0,60 mm thickness
- 0,50 mm thickness



## MT603

Chrome Surface

### > Main Features

- Special perlator with water saving
- (Bubble flow, with Lime breaker, Flow rate: 8 l/min)
- Special cartridge with heat and flow rate adjustment
- With swivel spout
- Ideal working pressure is 3-4 bar



## GT633

Black

### > Main Features

- Special perlator with water saving
- Special cartridge with heat and flow rate adjustment
- With swivel spout
- Removable hand shower head with 2 functions (Rain, Straight flow)
- Ideal working pressure is 3-4 bar

### > Optional Features

- Sahara Beige



## GT630

Sahara Beige

### > Main Features

- Special perlator with water saving
- (Bubble flow, with Lime breaker, Flow rate: 8 l/min)
- Special cartridge with heat and flow rate adjustment
- With swivel spout
- Ideal working pressure is 3-4 bar
- Granite Finishing

### > Optional Features

- Black





**MT605**  
Chrome Surface

> **Main Features**

- Brass Cu59-1 body
- Zinc alloy handle
- 304 stainless steel horseshoe
- EPDM hose with 304 stainless steel wire
- Quick open cartridge with brass materials
- Brass aerator with green marks
- Brass tube



**MT607**  
Chrome Surface

> **Main Features**

- Brass Cu59-1 body
- Zinc alloy handle
- 304 stainless steel horseshoe
- EPDM hose with 304 stainless steel wire
- 35mm Spanish Sedal ceramics cartridge
- Brass aerator with green marks
- Brass tube



**MT608**  
Chrome Surface

> **Main Features**

- Brass Cu59-1 body
- Zinc alloy handle
- 304 stainless steel horseshoe
- EPDM hose with 304 stainless steel wire
- Spanish Sedal ceramics cartridge
- Brass aerator with green marks
- Brass tube

“Grace in your kitchen”





**Export Office & Showroom:**

Göztepe Mah. Batışehir Cad. St.  
Ofis K1 Blk. 2/1 B2 34218  
Bağcılar / İstanbul - TURKEY

**Factory:**

Fatih Sultan Mehmet Cad. No:6/1  
Esenyurt - İstanbul / TURKEY

**T.** +90 212 351 5849

**F.** +90 212 351 4830

[www.proff.com.tr](http://www.proff.com.tr)

**PROFF**